



# Indiana College Substance Use Survey

## 2021

Indiana University–Purdue University  
Indianapolis



**PREVENTION  
INSIGHTS**  
AT THE INDIANA UNIVERSITY SCHOOL OF PUBLIC HEALTH



**Division of Mental  
Health and Addiction**

**Results of the  
Indiana College Substance Use Survey  
2021**

**Indiana University-Purdue University Indianapolis**

Prevention Insights  
Institute for Research on Addictive Behavior  
Indiana University-School of Public Health  
1033 E. Third St.  
Bloomington, IN 47405-7005  
[www.iprc.iu.edu](http://www.iprc.iu.edu)

Funding provided by the State of Indiana  
Division of Mental Health and Addiction

## TABLE OF CONTENTS

Table of Contents .....	i
List of Tables .....	ii
List of Figures.....	iii
Introduction .....	1
Substance Use .....	2
Prevalence .....	2
Location and Type of Alcohol Use .....	6
Reasons for Alcohol Use .....	7
Age of First Time Use .....	8
Consequences of Alcohol Use.....	9
Risk Factors .....	11
Alcohol Availability .....	11
Perception of Peer Behaviors and Beliefs.....	13
Mental Health.....	16
Gambling Behavior .....	18
Characteristics of Survey Participants .....	21
Frequencies .....	23

## LIST OF TABLES

Table 1. Response Rate, 2021.....	1
Table 2. Number of Usable Questionnaires, 2021.....	1
Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2021 .....	2
Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2021 ....	3
Table 5. Percentage of Students Reporting Use of Select Substances in the Past Month, 2010 – 2021 .....	3
Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2021 .....	4
Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2021 (Range = 0-15) .....	5
Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2021 .....	6
Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2021.....	7
Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2021 .....	8
Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2021 .....	9
Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2021.....	10
Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else’s Drinking, by Select Demographic Characteristics, 2021 .....	10
Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2021.....	13
Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2021 (range = 0 – 30) .....	13
Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2021.....	15
Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2021.....	15
Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2021 (range = 0 – 30) .....	16
Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2021.....	17
Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2021 .....	18
Table 21. Demographic Characteristics of Survey Participants, 2021 .....	21

## LIST OF FIGURES

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2021 .....	4
Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2021 .....	5
Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2021 .....	6
Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2021 .....	11
Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, 2021 .....	12
Figure 6. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Gender, 2021 (range = 0 – 30).....	14
Figure 7. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Gender, 2021 .....	16
Figure 8. Percentage of Students Who Reported Any Gambling Behaviors or Gambling Consequences in the Past Year, by Select Demographic Characteristics, 2021 .....	18
Figure 9. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2021.....	19
Figure 10. Percentage of Students Who Gambled in the Past Year, Who Reported Select Reasons as Their Most Common Reason for Gambling, 2021.....	20

## INTRODUCTION

The Indiana College Substance Use Survey was administered in Spring 2021. A random sample of 2,500 Indiana University-Purdue University Indianapolis students were sent an e-mail inviting them to participate in the survey. Students were given a two-week period to complete the online questionnaire. A reminder e-mail was sent midway through the survey period. 758 students responded to the survey, for a response rate of 30.3%. A description of the history and methodology of the Indiana College Substance Use Survey can be found in the *Results of the Indiana College Substance Use Survey, 2021* at <https://iprc.iu.edu/indiana-college-survey/substance-use-survey>. The State Report provides data from students aged 18-25, while the statewide results provided in this report contain data from all students, regardless of age.

Table 1. Response Rate, 2021

Number of students invited to participate	Number of respondents	Response Rate
2,500	758	30.3%

Three criteria were used to clean the data. Surveys were discarded if any of the following conditions were met:

- insufficient response (less than 26 items answered out of a total of 171 items),
- three or more inconsistent responses among substance use items, and
- pharmacologically-implausible patterns of responses (i.e., a combination of drugs and frequencies of use whose cumulative effect would be lethal).

Table 2. Number of Usable Questionnaires, 2021

	Frequency	Percent
Inconsistent responses	2	0.3
Implausible drug use	1	0.1
<b>Total Number of Usable Surveys</b>	<b>755</b>	<b>99.6</b>
Total	758	100.0

This report provides analysis of the data by gender and age, as well as overall rates. Responses of students not identifying as male or female are included in the analyses for overall rates and rates by age category, but their responses are not presented in the analyses by gender because of the small number of those students who participated.

## SUBSTANCE USE

### PREVALENCE

Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2021

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Alcohol	62.2	55.8	60.9	63.4	26.3	71.9
Marijuana	20.2	20.2	17.3	21.6	18.0	20.8
Cigarettes	6.0	8.6	5.8	5.6	1.9	7.1
Electronic vaping devices	15.6	19.7	15.8	15.6	15.5	15.6
Cigars	3.3	3.7	4.6	2.3	0.6	4.1
Smoking tobacco with hookah/water pipe	4.7	2.3	3.5	5.3	1.9	5.4
Chewing/smokeless tobacco	1.6	2.6	2.7	0.6	0.0	2.0
Prescription stimulants not prescribed to you	2.0	2.4	3.5	1.3	1.2	2.2
Prescription painkillers not prescribed to you	0.3	0.8	0.4	0.2	0.0	0.3
Prescription sedatives not prescribed to you	0.7	1.0	0.8	0.6	0.0	0.8
Hallucinogens	2.1	2.3	1.6	2.5	2.5	2.0
Cocaine	0.9	1.1	0.0	1.3	0.0	1.2
Inhalants	0.7	0.7	0.4	0.8	0.0	0.8
Heroin	0.0	0.1	0.0	0.0	0.0	0.0
Methamphetamine	0.0	0.2	0.0	0.0	0.0	0.0
Other illegal drugs	0.5	0.5	0.4	0.6	0.0	0.7

Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2021

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Nicotine	79.7	81.8	76.3	81.8	84.6	78.4
Flavoring Only	28.9	35.9	25.3	30.7	33.3	27.9
THC	63.0	58.2	64.2	61.7	60.8	63.5
Alcohol	1.6	4.3	3.2	0.7	4.2	1.0
Other	3.1	5.2	5.8	1.5	0.0	3.8

Note. Out of students who reported ever using electronic vapor products (n = 262).

Table 5. Percentage of Students Reporting Use of Select Substances in the Past Month, 2010 – 2021

Substance	2010	2013	2016	2019	2021
Alcohol	71.6	65.5	59.3	64.3	62.2
Marijuana	9.5	11.9	22.7	21.3	20.2
Cigarettes	17.2	11.5	11.8	8.6	6.0
Cigars	8.2	6.1	7.7	3.9	3.3
Smoking tobacco with hookah or water pipe	9.5	7.4	11.8	4.8	4.7
Chewing or smokeless tobacco	2.2	1.6	3.8	1.5	1.6
Electronic vaping devices	-	-	12.1	18.7	15.6
Rx Stimulants	-	-	6.5	4.5	2.0
Rx Painkillers	-	-	2.5	0.9	0.3
Rx Sedatives	-	-	1.6	1.2	0.7
Hallucinogens	0.9	0.7	3.2	3.0	2.1
Cocaine	0.6	0.5	1.1	1.5	0.9
Inhalants	0.0	0.5	0.7	0.6	0.7
Heroin	0.6	0.0	0.0	0.0	0.0
Methamphetamines	0.0	0.0	0.0	0.0	0.0
Other illegal drugs	0.6	0.2	0.5	0.9	0.5

\*E-cigarettes and Rx categories added in 2016



Binge drinking was defined in the Indiana College Substance Use Survey as four or more drinks in a row for females and five or more drinks in a row for males. This gender-specific standard follows the definition established by the National Institute on Alcohol Abuse and Alcoholism.

Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2021

All Students		Gender		Age	
IUPUI	Indiana	Male	Female	Under 21	21 or older
24.8	25.5	23.4	25.7	11.3	28.6

Note. Binge drinking was defined as consuming 4 or more drinks in a row for females and 5 or more drinks in a row for males.

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2021





Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2021 (Range = 0-15)

	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Mean	2.9	3.2	3.4	2.6	3.2	2.8
Standard Deviation	2.2	2.5	2.7	1.9	2.4	2.2

Note. Out of students who reported ever drinking alcohol (n = 600).


Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2021



Note. Out of students who reported ever drinking alcohol (n = 600).

LOCATION AND TYPE OF ALCOHOL USE

Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2021



Note. Out of students who reported ever drinking alcohol (n = 600). Responses of drinking alcohol at select location “sometimes,” “often,” or “always” are included.

Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2021

Type	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Liquor	50.4	54.6	50.3	50.4	45.7	51.2
Beer	39.5	35.0	54.2	31.7	12.7	43.9
Wine	51.5	45.5	35.3	60.8	25.6	55.9
Malt beverages	38.6	47.7	24.9	45.4	36.6	38.9
High alcohol drinks	8.1	11.7	7.8	8.3	9.8	7.9
Other	4.7	8.1	4.3	4.7	5.0	4.6

Note. Out of students who reported ever drinking alcohol (n = 600). Responses of drinking select type of alcohol “sometimes,” “often,” or “always” are included.

## REASONS FOR ALCOHOL USE

Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2021

Reason	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
To have a good time with friends	77.8	79.5	75.0	79.1	75.6	78.1
To relax	58.1	55.4	57.5	58.7	44.4	60.3
To experiment	14.3	24.9	17.6	11.6	34.1	10.9
Because of boredom	16.8	20.2	21.4	13.8	20.7	16.1
To get away from my problems	13.3	15.5	14.1	12.5	19.8	12.2
Because of anger/frustration	10.7	11.9	10.5	10.5	11.3	10.6
To get through the day	3.4	5.4	3.7	3.3	1.2	3.7
Because I'm hooked	2.1	2.2	2.6	1.9	0.0	2.5

Note: Out of students who reported ever drinking alcohol (n = 600).

## AGE OF FIRST TIME USE

Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2021

	All Students	
	IUPUI	Indiana
Alcohol	37.2	33.2
Marijuana	39.8	33.9
Cigarettes	34.0	33.1
E-cigarettes	53.7	38.1
Cigars	52.3	34.8
Hookah	50.0	40.9
Smokeless tobacco	35.8	25.2
Prescription stimulants	61.3	53.2
Prescription painkillers	41.7	31.3
Prescription sedatives	50.0	37.0
Hallucinogens	61.9	55.1
Cocaine	70.9	56.5
Inhalants	66.7	44.3
Heroin		30.4
Methamphetamines	33.3	33.8
Other	53.6	46.4

*Note.* Only substances where ten or more students indicated use are included in the school rates.

## CONSEQUENCES OF ALCOHOL USE

Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2021

Consequences	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Had a hangover	50.9	49.7	49.7	51.9	45.1	51.9
Forgot where you were or what you did (blacked out)	15.3	18.3	14.4	15.4	19.5	14.6
Felt bad or guilty about your drinking	20.0	21.2	19.4	19.5	20.7	19.8
Did something you later regretted	15.9	18.6	14.4	16.4	24.4	14.5
Engaged in unprotected sexual intercourse (i.e., without a condom)	9.9	14.5	8.8	10.2	6.1	10.5
Missed class or an assignment	5.5	9.6	3.6	6.3	7.4	5.1
Driven a car while under the influence	6.2	6.9	4.6	6.9	1.2	7.0
Been hurt or injured because of drinking	4.0	7.7	3.1	4.7	6.1	3.7
Created problems between you and your friends or family members	4.9	6.6	3.6	5.5	6.1	4.7
Had friends or family members worry or complain about your drinking	6.5	7.6	9.8	4.7	6.1	6.6
Been in trouble with police, residence hall, or other college authorities	1.1	2.1	2.1	0.6	6.1	0.2
Gotten into physical fights when drinking	0.5	2.6	0.5	0.6	1.2	0.4
Gotten into trouble at work or college because of drinking	1.1	1.7	2.1	0.5	6.1	0.2
Been ticketed	0.9	0.6	1.0	0.8	3.7	0.4
Been arrested for drunk driving	0.7	0.3	0.0	1.1	1.2	0.6

Note. Out of students who reported ever drinking alcohol (n = 600).

Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2021

	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Experienced unwanted sexual activity	1.9	3.4	0.5	2.5	4.9	1.4
Took advantage of someone sexually	0.2	0.4	0.0	0.3	1.2	0.0

Note. Out of students who reported ever drinking alcohol (n = 600).


Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else's Drinking, by Select Demographic Characteristics, 2021

Consequence	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Had to take care of another student who drank too much	18.0	30.7	20.5	16.6	24.8	16.1
Had your studying or sleep interrupted	9.9	20.4	10.4	9.1	14.8	8.6
Had to act as a designated driver for another student because he or she drank	16.2	21.8	18.5	14.8	19.5	15.3
Found vomit in the halls or other areas of your residence	2.7	9.4	2.1	3.0	4.0	2.4
Had your belongings or property damaged	2.6	6.3	2.5	2.5	5.4	1.8

## RISK FACTORS

### ALCOHOL AVAILABILITY


Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2021



*Note.* Out of students under 21 who reported ever drinking alcohol (n = 84). Responses of obtaining alcohol from select source “sometimes”, “often”, or “always” are included.



Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, 2021



Note. Out of students under 21 who reported ever drinking alcohol (n = 84).

PERCEPTION OF PEER BEHAVIORS AND BELIEFS

Students were asked to estimate the percentage of students at their school who drank alcohol in the past month.

Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2021

Perceived percent who use alcohol	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
0%	2.5	3.0	3.4	2.1	1.3	2.8
5% - 25%	14.9	16.6	13.9	15.2	23.5	12.5
30% - 50%	26.8	29.5	28.6	25.3	32.2	25.3
55% - 75%	40.2	36.1	41.2	40.1	30.9	42.8
80% - 100%	15.6	14.8	13.0	17.3	12.1	16.6

Note: Response options were increments of 5%.

Students were also asked how many alcoholic drinks they thought the typical student at their school consumed the last time he or she partied/socialized. Students could provide any figure between 0 – 30.

Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2021 (range = 0 – 30)

	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Mean	4.0	4.1	4.0	3.9	3.8	4.0
Standard Deviation	2.1	2.4	2.4	2.0	2.3	2.1

Figure 6. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Gender, 2021 (range = 0 – 30)




Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2021

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Having five or more alcoholic drinks in one sitting	44.8	44.3	38.3	48.2	54.4	42.3
Using marijuana	38.7	43.5	36.3	40.5	44.3	37.2
Using prescription medication not prescribed to you	84.9	85.4	82.5	86.2	91.9	83.0

Note: Responses of “Strongly Disapprove” or “Somewhat Disapprove” are included.

Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2021

Location	All Students		Gender	
	IUPUI	Indiana	Male	Female
On-campus housing	58.7	45.6	47.1	67.7
Off-campus housing	24.7	21.4	19.6	29.0
On-campus party	63.3	54.2	58.8	67.7
Off-campus party	31.5	30.5	27.5	34.8
Athletic event	46.3	49.0	47.1	47.8
Other places in the community	45.9	40.2	41.2	51.6

Note: n = 161. Responses of “Very Likely” or “Somewhat Likely” are included.

## MENTAL HEALTH


The Indiana College Substance Use Survey asked three questions to assess students' mental health status. Students were asked on how many days in the past month their mental health was not good, including experiencing stress, depression, or problems with emotions. They were also asked if, in the past year, they had experienced feeling so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, and if they had ever seriously considered attempting suicide.

Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2021 (range = 0 – 30)

	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Mean	9.2	9.7	7.8	9.7	12.4	8.3
Standard Deviation	9.2	9.3	9.3	8.8	10.1	8.7

*Note.* Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Figure 7. Percentage of Students Who Indicated Select Number of Days During Past Month That Their Mental Health Was Not Good, by Gender, 2021



*Note.* Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"

Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2021

	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Felt sad or hopeless	34.7	37.2	29.5	36.0	50.0	30.6
Considered attempting suicide	9.2	11.9	9.7	8.0	17.1	7.1

Note: Sadness survey question: “During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?”

## GAMBLING BEHAVIOR

Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2021

Gambling Behavior	All Students		Gender		Age	
	IUPUI	Indiana	Male	Female	Under 21	21 or older
Lottery	12.7	19.5	15.3	11.4	11.6	13.0
Charitable gambling	3.9	7.2	5.5	3.2	4.8	3.7
Pools	6.9	7.1	13.1	3.9	2.7	8.1
Card games (not at casino)	5.1	6.7	11.1	2.1	6.8	4.6
Casino	6.4	5.4	7.2	6.2	0.7	7.9
Video game loot boxes	4.9	5.7	11.0	0.9	5.5	4.8
Fantasy sports	6.1	5.5	15.3	1.1	2.7	7.0
Other sports betting	5.7	4.8	12.8	1.8	2.7	6.4
Horse tracks	1.3	1.5	1.3	1.4	1.4	1.3
Online	1.6	2.6	3.4	0.7	1.4	1.7
Competitive video gaming	1.2	1.6	3.4	0.0	2.1	0.9
Other	2.9	2.5	7.1	0.7	4.2	2.5

Figure 8. Percentage of Students Who Reported Any Gambling Behaviors or Gambling Consequences in the Past Year, by Select Demographic Characteristics, 2021




Figure 9. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2021







Figure 10. Percentage of Students Who Gambled in the Past Year, Who Reported Select Reasons as Their Most Common Reason for Gambling, 2021



Note: n = 214.

## CHARACTERISTICS OF SURVEY PARTICIPANTS

Table 21. Demographic Characteristics of Survey Participants, 2021

	Frequency	%
<b>Gender</b>		
Male	260	34.4
Female	478	63.3
Other	16	2.1
<b>No answer</b>	1	0.1
<b>Age</b>		
Under 21	161	21.3
<b>21 or older</b>	594	78.7
<b>Race</b>		
White	557	73.8
Black/African American	54	7.2
Asian	74	9.8
Native American/Alaskan Native	4	0.5
Hawaiian/Pacific Islander	0	0.0
More than one race	37	4.9
Other	28	3.7
<b>No answer</b>	1	0.1
<b>Ethnicity</b>		
Hispanic	56	7.4
Non-Hispanic	698	92.5
<b>No answer</b>	1	0.1
<b>Classification</b>		
1st year undergraduate	69	9.1
2nd year undergraduate	97	12.8
3rd year undergraduate	128	17.0
4th year undergraduate	82	10.9
5th year or more undergraduate	49	6.5
Grad/professional	322	42.6
Not seeking degree	0	0.0
Other	5	0.7
<b>No answer</b>	3	0.4

Note. Multiple response options for gender were added in 2021. See frequency tables for complete breakdown of responses to gender item.

Table 21 continued.

<b>Student status</b>		
Full-time	633	83.8
Part-time	121	16.0
No answer	1	0.1
<b>Location of residence</b>		
Fraternity/sorority house	0	0.0
Campus residence hall	32	4.2
Other on-campus housing	13	1.7
Off-campus	584	77.4
Not in community - remote learning only	125	16.6
No answer	1	0.1
<b>Greek affiliation</b>		
Yes	38	5.0
No	717	95.0
No answer	0	0.0

## FREQUENCIES

**Age**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	25	3.3	3.3	3.3
	19	62	8.2	8.2	11.5
	20	74	9.8	9.8	21.3
	21	90	11.9	11.9	33.2
	22	74	9.8	9.8	43.0
	23	62	8.2	8.2	51.3
	24	54	7.2	7.2	58.4
	25	56	7.4	7.4	65.8
	26 or older	258	34.2	34.2	100.0
	Total	755	100.0	100.0	

**Ethnicity**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Hispanic	56	7.4	7.4	7.4
	Non-Hispanic	698	92.5	92.6	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Race**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White	557	73.8	73.9	73.9
	Black/African-American	54	7.2	7.2	81.0
	Asian	74	9.8	9.8	90.8
	Native American/Alaskan Native	4	.5	.5	91.4
	More than one race	37	4.9	4.9	96.3
	Other	28	3.7	3.7	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Gender: Prefer not to answer**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.7	100.0	100.0
Missing	System	750	99.3		
Total		755	100.0		

**Gender: Man**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	261	34.6	100.0	100.0
Missing	System	494	65.4		
Total		755	100.0		

**Gender: Woman**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	478	63.3	100.0	100.0
Missing	System	277	36.7		
Total		755	100.0		

**Gender: Trans man**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	.4	100.0	100.0
Missing	System	752	99.6		
Total		755	100.0		

**Gender: Trans woman**

		Frequency	Percent
Missing	System	755	100.0

**Gender: Non-binary**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	8	1.1	100.0	100.0
Missing	System	747	98.9		
Total		755	100.0		

**Gender: Not sure**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.1	100.0	100.0
Missing	System	754	99.9		
Total		755	100.0		

**Gender: Self-describe**

		Frequency	Percent
Missing	System	755	100.0

**Gender: Self description**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		755	100.0	100.0	100.0

**LGBTQ+ Member**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Prefer not to answer	18	2.4	2.4	2.4
	Yes	100	13.2	13.3	15.6
	No	607	80.4	80.5	96.2
	Not sure/questioning	29	3.8	3.8	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation: Prefer not to answer**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	1	.1	100.0	100.0
Missing	System	754	99.9		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Gay**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	17	2.3	100.0	100.0
Missing	System	738	97.7		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Lesbian**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	10	1.3	100.0	100.0
Missing	System	745	98.7		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Bisexual**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	60	7.9	100.0	100.0
Missing	System	695	92.1		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Asexual**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.9	100.0	100.0
Missing	System	748	99.1		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Pansexual**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	13	1.7	100.0	100.0
Missing	System	742	98.3		
Total		755	100.0		



**LGBTQ+ Member: Sexual orientation:Not sure**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.7	100.0	100.0
Missing	System	750	99.3		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Self-describe**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	6	.8	100.0	100.0
Missing	System	749	99.2		
Total		755	100.0		

**LGBTQ+ Member: Sexual orientation:Self description**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		749	99.2	99.2	99.2
	demisexual	1	.1	.1	99.3
	Panromantic Demisexual	1	.1	.1	99.5
	Queer	3	.4	.4	99.9
	Straight (I'm the T in LGBT)	1	.1	.1	100.0
Total		755	100.0	100.0	

**Student status**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time	633	83.8	84.0	84.0
	Part-time	121	16.0	16.0	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Year in school**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1st year undergraduate	69	9.1	9.2	9.2
	2nd year undergraduate	97	12.8	12.9	22.1
	3rd year undergraduate	128	17.0	17.0	39.1
	4th year undergraduate	82	10.9	10.9	50.0
	5th year or more undergraduate	49	6.5	6.5	56.5
	Graduate or professional student	322	42.6	42.8	99.3
	Other	5	.7	.7	100.0
	Total	752	99.6	100.0	
Missing	System	3	.4		
Total		755	100.0		

**Location of residence**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Campus residence hall	32	4.2	4.2	4.2
	Other on-campus housing	13	1.7	1.7	6.0
	Off campus	584	77.4	77.5	83.4
	Not living near campus - taking all classes remotely	125	16.6	16.6	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Member of fraternity/sorority**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	38	5.0	5.0	5.0
	No	717	95.0	95.0	100.0
	Total	755	100.0	100.0	

**Served on active duty**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	21	2.8	2.8	2.8
	No	733	97.1	97.2	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Number of times in the past month substance was used: Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	538	71.3	71.3	71.3
	Have used but not in past 30 days	172	22.8	22.8	94.0
	1-2 occasions	15	2.0	2.0	96.0
	3-5 occasions	5	.7	.7	96.7
	6-9 occasions	9	1.2	1.2	97.9
	10-19 occasions	3	.4	.4	98.3
	20-39 occasions	2	.3	.3	98.5
	40 or more occasions	11	1.5	1.5	100.0
	Total	755	100.0	100.0	

**Number of times in the past month substance was used: Cigars**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	567	75.1	75.4	75.4
	Have used but not in past 30 days	160	21.2	21.3	96.7
	1-2 occasions	19	2.5	2.5	99.2
	6-9 occasions	2	.3	.3	99.5
	10-19 occasions	1	.1	.1	99.6
	20-39 occasions	2	.3	.3	99.9
	40 or more occasions	1	.1	.1	100.0
	Total	752	99.6	100.0	
Missing	System	3	.4		
Total		755	100.0		

**Number of times in the past month substance was used: Chewing or smokeless tobacco**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	676	89.5	89.9	89.9
	Have used but not in past 30 days	64	8.5	8.5	98.4
	1-2 occasions	4	.5	.5	98.9
	3-5 occasions	3	.4	.4	99.3
	6-9 occasions	1	.1	.1	99.5
	40 or more occasions	4	.5	.5	100.0
	Total	752	99.6	100.0	
Missing	System	3	.4		
Total		755	100.0		

**Number of times in the past month substance was used: Smoking tobacco with hookah/water pipe**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	552	73.1	73.6	73.6
	Have used but not in past 30 days	163	21.6	21.7	95.3
	1-2 occasions	23	3.0	3.1	98.4
	3-5 occasions	6	.8	.8	99.2
	6-9 occasions	3	.4	.4	99.6
	10-19 occasions	1	.1	.1	99.7
	20-39 occasions	1	.1	.1	99.9
	40 or more occasions	1	.1	.1	100.0
Total	750	99.3	100.0		
Missing	System	5	.7		
Total		755	100.0		

**Number of times in the past month substance was used: E-Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	487	64.5	64.9	64.9
	Have used but not in past 30 days	146	19.3	19.5	84.4
	1-2 occasions	27	3.6	3.6	88.0
	3-5 occasions	10	1.3	1.3	89.3
	6-9 occasions	9	1.2	1.2	90.5
	10-19 occasions	9	1.2	1.2	91.7
	20-39 occasions	14	1.9	1.9	93.6
	40 or more occasions	48	6.4	6.4	100.0
	Total	750	99.3	100.0	
Missing	System	5	.7		
Total		755	100.0		

**Number of times in the past month substance was used: Alcohol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	135	17.9	18.3	18.3
	Have used but not in past 30 days	143	18.9	19.4	37.8
	1-2 occasions	138	18.3	18.8	56.5
	3-5 occasions	126	16.7	17.1	73.6
	6-9 occasions	86	11.4	11.7	85.3
	10-19 occasions	57	7.5	7.7	93.1
	20-39 occasions	27	3.6	3.7	96.7
	40 or more occasions	24	3.2	3.3	100.0
	Total	736	97.5	100.0	
Missing	System	19	2.5		
Total		755	100.0		

**Number of times in the past month substance was used: Marijuana**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	393	52.1	52.2	52.2
	Have used but not in past 30 days	208	27.5	27.6	79.8
	1-2 occasions	42	5.6	5.6	85.4
	3-5 occasions	29	3.8	3.9	89.2
	6-9 occasions	17	2.3	2.3	91.5
	10-19 occasions	20	2.6	2.7	94.2
	20-39 occasions	18	2.4	2.4	96.5
	40 or more occasions	26	3.4	3.5	100.0
	Total	753	99.7	100.0	
Missing	System	2	.3		
Total		755	100.0		

**Number of times in the past month substance was used: Cocaine/Crack**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	688	91.1	91.6	91.6
	Have used but not in past 30 days	56	7.4	7.5	99.1
	1-2 occasions	4	.5	.5	99.6
	3-5 occasions	1	.1	.1	99.7
	6-9 occasions	1	.1	.1	99.9
	20-39 occasions	1	.1	.1	100.0
		Total	751	99.5	100.0
Missing	System	4	.5		
Total		755	100.0		

**Number of times in the past month substance was used: Hallucinogens/Ecstasy**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	650	86.1	86.3	86.3
	Have used but not in past 30 days	87	11.5	11.6	97.9
	1-2 occasions	9	1.2	1.2	99.1
	3-5 occasions	4	.5	.5	99.6
	6-9 occasions	1	.1	.1	99.7
	20-39 occasions	1	.1	.1	99.9
	40 or more occasions	1	.1	.1	100.0
	Total	753	99.7	100.0	
Missing	System	2	.3		
Total		755	100.0		

**Number of times in the past month substance was used: Heroin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	743	98.4	98.5	98.5
	Have used but not in past 30 days	11	1.5	1.5	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Number of times in the past month substance was used: Methamphetamine**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	735	97.4	97.7	97.7
	Have used but not in past 30 days	17	2.3	2.3	100.0
	Total	752	99.6	100.0	
Missing	System	3	.4		
Total		755	100.0		

**Number of times in the past month substance was used: Inhalants**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	722	95.6	95.9	95.9
	Have used but not in past 30 days	26	3.4	3.5	99.3
	1-2 occasions	1	.1	.1	99.5
	3-5 occasions	1	.1	.1	99.6
	6-9 occasions	2	.3	.3	99.9
	40 or more occasions	1	.1	.1	100.0
	Total	753	99.7	100.0	
Missing	System	2	.3		
Total		755	100.0		

**Number of times in the past month substance was used: Prescription stimulants not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	670	88.7	88.9	88.9
	Have used but not in past 30 days	69	9.1	9.2	98.0
	1-2 occasions	7	.9	.9	98.9
	3-5 occasions	2	.3	.3	99.2
	6-9 occasions	4	.5	.5	99.7
	20-39 occasions	2	.3	.3	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Number of times in the past month substance was used: Prescription painkillers not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	702	93.0	93.0	93.0
	Have used but not in past 30 days	51	6.8	6.8	99.7
	1-2 occasions	1	.1	.1	99.9
	6-9 occasions	1	.1	.1	100.0
	Total	755	100.0	100.0	



**Number of times in the past month substance was used: Prescription sedatives not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	702	93.0	93.1	93.1
	Have used but not in past 30 days	47	6.2	6.2	99.3
	1-2 occasions	3	.4	.4	99.7
	3-5 occasions	1	.1	.1	99.9
	20-39 occasions	1	.1	.1	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**Number of times in the past month substance was used: Other illegal drugs**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	712	94.3	95.7	95.7
	Have used but not in past 30 days	28	3.7	3.8	99.5
	1-2 occasions	2	.3	.3	99.7
	3-5 occasions	1	.1	.1	99.9
	6-9 occasions	1	.1	.1	100.0
	Total	744	98.5	100.0	
Missing	System	11	1.5		
Total		755	100.0		

**Used electronic vapor product for nicotine**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	204	27.0	79.7	79.7
	No	52	6.9	20.3	100.0
	Total	256	33.9	100.0	
Missing	System	499	66.1		
Total		755	100.0		

**Used electronic vapor product for THC**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	160	21.2	63.0	63.0
	No	94	12.5	37.0	100.0
	Total	254	33.6	100.0	
Missing	System	501	66.4		
Total		755	100.0		

**Used electronic vapor product for alcohol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	4	.5	1.6	1.6
	No	241	31.9	98.4	100.0
	Total	245	32.5	100.0	
Missing	System	510	67.5		
Total		755	100.0		

**Used electronic vapor product for flavoring only**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	72	9.5	28.9	28.9
	No	177	23.4	71.1	100.0
	Total	249	33.0	100.0	
Missing	System	506	67.0		
Total		755	100.0		

**Used electronic vapor product for other**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	.9	3.1	3.1
	No	217	28.7	96.9	100.0
	Total	224	29.7	100.0	
Missing	System	531	70.3		
Total		755	100.0		

**Age when first used: Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	142	18.8	66.0	66.0
	After starting college	73	9.7	34.0	100.0
	Total	215	28.5	100.0	
Missing	System	540	71.5		
Total		755	100.0		

**Age when first used: Cigars**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	84	11.1	47.7	47.7
	After starting college	92	12.2	52.3	100.0
	Total	176	23.3	100.0	
Missing	System	579	76.7		
Total		755	100.0		

**Age when first used: Chewing or smokeless tobacco**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	43	5.7	64.2	64.2
	After starting college	24	3.2	35.8	100.0
	Total	67	8.9	100.0	
Missing	System	688	91.1		
Total		755	100.0		

**Age when first used: Smoking tobacco with hookah or water pipe**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	95	12.6	50.0	50.0
	After starting college	95	12.6	50.0	100.0
	Total	190	25.2	100.0	
Missing	System	565	74.8		
Total		755	100.0		

**Age when first used: E-Cigarettes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	119	15.8	46.3	46.3
	After starting college	138	18.3	53.7	100.0
	Total	257	34.0	100.0	
Missing	System	498	66.0		
Total		755	100.0		

**Age when first used: Alcohol**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	380	50.3	62.9	62.9
	After starting college	224	29.7	37.1	100.0
	Total	604	80.0	100.0	
Missing	System	151	20.0		
Total		755	100.0		

**Age when first used: Marijuana**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	212	28.1	60.2	60.2
	After starting college	140	18.5	39.8	100.0
	Total	352	46.6	100.0	
Missing	System	403	53.4		
Total		755	100.0		

**Age when first used: Cocaine/Crack**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	16	2.1	29.1	29.1
	After starting college	39	5.2	70.9	100.0
	Total	55	7.3	100.0	
Missing	System	700	92.7		
Total		755	100.0		

**Age when first used: Hallucinogens/Ecstasy**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	37	4.9	38.1	38.1
	After starting college	60	7.9	61.9	100.0
	Total	97	12.8	100.0	
Missing	System	658	87.2		
Total		755	100.0		

**Age when first used: Heroin**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	3	.4	42.9	42.9
	After starting college	4	.5	57.1	100.0
	Total	7	.9	100.0	
Missing	System	748	99.1		
Total		755	100.0		

**Age when first used: Methamphetamine**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	8	1.1	66.7	66.7
	After starting college	4	.5	33.3	100.0
	Total	12	1.6	100.0	
Missing	System	743	98.4		
Total		755	100.0		

**Age when first used: Inhalants**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	9	1.2	33.3	33.3
	After starting college	18	2.4	66.7	100.0
	Total	27	3.6	100.0	
Missing	System	728	96.4		
Total		755	100.0		

**Age when first used: Prescription stimulants not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	29	3.8	38.7	38.7
	After starting college	46	6.1	61.3	100.0
	Total	75	9.9	100.0	
Missing	System	680	90.1		
Total		755	100.0		

**Age when first used: Prescription painkillers not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	28	3.7	58.3	58.3
	After starting college	20	2.6	41.7	100.0
	Total	48	6.4	100.0	
Missing	System	707	93.6		
Total		755	100.0		

**Age when first used: Prescription sedatives not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	23	3.0	50.0	50.0
	After starting college	23	3.0	50.0	100.0
	Total	46	6.1	100.0	
Missing	System	709	93.9		
Total		755	100.0		

**Age when first used: Other illegal drugs**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	13	1.7	46.4	46.4
	After starting college	15	2.0	53.6	100.0
	Total	28	3.7	100.0	
Missing	System	727	96.3		
Total		755	100.0		

**Number of times student binge drank during the last two weeks - out of students who drank alcohol in past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	260	34.4	59.5	59.5
	1	89	11.8	20.4	79.9
	2	42	5.6	9.6	89.5
	3	20	2.6	4.6	94.1
	4	10	1.3	2.3	96.3
	5	7	.9	1.6	97.9
	6	2	.3	.5	98.4
	8	3	.4	.7	99.1
	10 or more times	4	.5	.9	100.0
	Total	437	57.9	100.0	
Missing	System	318	42.1		
Total		755	100.0		

**How many drinks do you typically have?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	151	20.0	27.6	27.6
	2	176	23.3	32.1	59.7
	3	87	11.5	15.9	75.5
	4	45	6.0	8.2	83.8
	5	33	4.4	6.0	89.8
	6	26	3.4	4.7	94.5
	7	4	.5	.7	95.3
	8	10	1.3	1.8	97.1
	9	1	.1	.2	97.3
	10	8	1.1	1.5	98.7
	12	4	.5	.7	99.5
	15 or more drinks	3	.4	.5	100.0
	Total		548	72.6	100.0
Missing	System	207	27.4		
Total		755	100.0		

**In the past year, how often did you drink alcohol: Residence hall**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	541	71.7	95.8	95.8
	Rarely	9	1.2	1.6	97.3
	Sometimes	8	1.1	1.4	98.8
	Often	6	.8	1.1	99.8
	Always	1	.1	.2	100.0
	Total	565	74.8	100.0	
Missing	System	190	25.2		
Total		755	100.0		

**In the past year, how often did you drink alcohol: Fraternity/sorority**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	546	72.3	96.8	96.8
	Rarely	7	.9	1.2	98.0
	Sometimes	7	.9	1.2	99.3
	Often	4	.5	.7	100.0
	Total	564	74.7	100.0	
Missing	System	191	25.3		
Total		755	100.0		

**In the past year, how often did you drink alcohol: Other on-campus location**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	520	68.9	93.0	93.0
	Rarely	19	2.5	3.4	96.4
	Sometimes	13	1.7	2.3	98.7
	Often	7	.9	1.3	100.0
	Total	559	74.0	100.0	
Missing	System	196	26.0		
Total		755	100.0		



**In the past year, how often did you drink alcohol: Off-campus house or apartment**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	92	12.2	16.3	16.3
	Rarely	134	17.7	23.7	40.0
	Sometimes	157	20.8	27.8	67.8
	Often	115	15.2	20.4	88.1
	Always	67	8.9	11.9	100.0
	Total	565	74.8	100.0	
Missing	System	190	25.2		
Total		755	100.0		

**In the past year, how often did you drink alcohol: Bar/restaurant**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	170	22.5	30.0	30.0
	Rarely	157	20.8	27.7	57.7
	Sometimes	142	18.8	25.0	82.7
	Often	80	10.6	14.1	96.8
	Always	18	2.4	3.2	100.0
	Total	567	75.1	100.0	
Missing	System	188	24.9		
Total		755	100.0		

**In the past year, how often did you drink alcohol: Sporting/athletic event**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	467	61.9	82.9	82.9
	Rarely	48	6.4	8.5	91.5
	Sometimes	33	4.4	5.9	97.3
	Often	13	1.7	2.3	99.6
	Always	2	.3	.4	100.0
	Total	563	74.6	100.0	
Missing	System	192	25.4		
Total		755	100.0		

**In the past year, how often did you drink alcohol: In a car**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	534	70.7	94.8	94.8
	Rarely	21	2.8	3.7	98.6
	Sometimes	8	1.1	1.4	100.0
	Total	563	74.6	100.0	
Missing	System	192	25.4		
Total		755	100.0		

**In the past year, how often did you drink alcohol: Other**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	486	64.4	90.8	90.8
	Rarely	21	2.8	3.9	94.8
	Sometimes	19	2.5	3.6	98.3
	Often	7	.9	1.3	99.6
	Always	2	.3	.4	100.0
	Total	535	70.9	100.0	
Missing	System	220	29.1		
Total		755	100.0		

**Reasons for drinking in the past year: To experiment**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	82	10.9	14.1	14.1
	No	494	65.4	84.9	99.0
	Unsure	6	.8	1.0	100.0
	Total	582	77.1	100.0	
Missing	System	173	22.9		
Total		755	100.0		

**Reasons for drinking in the past year: Because I am hooked**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	12	1.6	2.1	2.1
	No	563	74.6	97.4	99.5
	Unsure	3	.4	.5	100.0
	Total	578	76.6	100.0	
Missing	System	177	23.4		
Total		755	100.0		

**Reasons for drinking in the past year: To relax or relieve tension**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	336	44.5	57.9	57.9
	No	242	32.1	41.7	99.7
	Unsure	2	.3	.3	100.0
	Total	580	76.8	100.0	
Missing	System	175	23.2		
Total		755	100.0		

**Reasons for drinking in the past year: To have a good time with friends**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	446	59.1	76.6	76.6
	No	135	17.9	23.2	99.8
	Unsure	1	.1	.2	100.0
	Total	582	77.1	100.0	
Missing	System	173	22.9		
Total		755	100.0		

**Reasons for drinking in the past year: Because of boredom**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	96	12.7	16.5	16.5
	No	481	63.7	82.8	99.3
	Unsure	4	.5	.7	100.0
	Total	581	77.0	100.0	
Missing	System	174	23.0		
Total		755	100.0		

**Reasons for drinking in the past year: Because of anger or frustration**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	61	8.1	10.6	10.6
	No	511	67.7	88.4	99.0
	Unsure	6	.8	1.0	100.0
	Total	578	76.6	100.0	
Missing	System	177	23.4		
Total		755	100.0		

**Reasons for drinking in the past year: To get through the day**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	19	2.5	3.3	3.3
	No	556	73.6	96.2	99.5
	Unsure	3	.4	.5	100.0
	Total	578	76.6	100.0	
Missing	System	177	23.4		
Total		755	100.0		

**Reasons for drinking in the past year: To get away from my problems**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	76	10.1	13.1	13.1
	No	495	65.6	85.6	98.8
	Unsure	7	.9	1.2	100.0
	Total	578	76.6	100.0	
Missing	System	177	23.4		
Total		755	100.0		

**Consequences of alcohol use in the past year: Friends or family members worried or complained about your drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	546	72.3	93.7	93.7
	Once	23	3.0	3.9	97.6
	Twice	5	.7	.9	98.5
	3-5 times	8	1.1	1.4	99.8
	6-9 times	1	.1	.2	100.0
	Total	583	77.2	100.0	
Missing	System	172	22.8		
Total		755	100.0		

**Consequences of alcohol use in the past year: Had a hangover**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	291	38.5	50.0	50.0
	Once	104	13.8	17.9	67.9
	Twice	71	9.4	12.2	80.1
	3-5 times	66	8.7	11.3	91.4
	6-9 times	29	3.8	5.0	96.4
	10+ times	21	2.8	3.6	100.0
	Total	582	77.1	100.0	
Missing	System	173	22.9		
Total		755	100.0		

**Consequences of alcohol use in the past year: Felt bad/guilty about your drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	467	61.9	80.5	80.5
	Once	49	6.5	8.4	89.0
	Twice	28	3.7	4.8	93.8
	3-5 times	23	3.0	4.0	97.8
	6-9 times	7	.9	1.2	99.0
	10+ times	6	.8	1.0	100.0
	Total	580	76.8	100.0	
	Missing	System	175	23.2	
Total		755	100.0		

**Consequences of alcohol use in the past year: Created problems between you and your friends or family members**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	555	73.5	95.2	95.2
	Once	13	1.7	2.2	97.4
	Twice	5	.7	.9	98.3
	3-5 times	8	1.1	1.4	99.7
	6-9 times	1	.1	.2	99.8
	10+ times	1	.1	.2	100.0
	Total	583	77.2	100.0	
Missing	System	172	22.8		
Total		755	100.0		

**Consequences of alcohol use in the past year: Gotten into trouble at work or school because of drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	577	76.4	99.0	99.0
	Once	6	.8	1.0	100.0
	Total	583	77.2	100.0	
Missing	System	172	22.8		
Total		755	100.0		

**Consequences of alcohol use in the past year: Been hurt or injured because of drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	559	74.0	96.0	96.0
	Once	18	2.4	3.1	99.1
	Twice	2	.3	.3	99.5
	3-5 times	3	.4	.5	100.0
	Total	582	77.1	100.0	
Missing	System	173	22.9		
Total		755	100.0		

**Consequences of alcohol use in the past year: Been ticketed or arrested because of drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	577	76.4	99.1	99.1
	Once	5	.7	.9	100.0
	Total	582	77.1	100.0	
Missing	System	173	22.9		
Total		755	100.0		

**Consequences of alcohol use in the past year: Been arrested for drunk driving**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	575	76.2	99.3	99.3
	Once	4	.5	.7	100.0
	Total	579	76.7	100.0	
Missing	System	176	23.3		
Total		755	100.0		

**Consequences of alcohol use in the past year: Driven a car while under the influence**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	548	72.6	94.0	94.0
	Once	21	2.8	3.6	97.6
	Twice	8	1.1	1.4	99.0
	3-5 times	5	.7	.9	99.8
	6-9 times	1	.1	.2	100.0
	Total	583	77.2	100.0	
Missing	System	172	22.8		
Total		755	100.0		

**Consequences of alcohol use in the past year: Gotten into physical fights when drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	577	76.4	99.5	99.5
	Once	3	.4	.5	100.0
	Total	580	76.8	100.0	
Missing	System	175	23.2		
Total		755	100.0		

**Consequences of alcohol use in the past year: Engaged in unprotected sex**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	524	69.4	90.3	90.3
	Once	12	1.6	2.1	92.4
	Twice	15	2.0	2.6	95.0
	3-5 times	12	1.6	2.1	97.1
	6-9 times	5	.7	.9	97.9
	10+ times	12	1.6	2.1	100.0
	Total	580	76.8	100.0	
Missing	System	175	23.2		
Total		755	100.0		

**Consequences of alcohol use in the past year: Missed class or assignments**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	550	72.8	94.7	94.7
	Once	18	2.4	3.1	97.8
	Twice	7	.9	1.2	99.0
	3-5 times	5	.7	.9	99.8
	10+ times	1	.1	.2	100.0
	Total	581	77.0	100.0	
Missing	System	174	23.0		
Total		755	100.0		



**Consequences of alcohol use in the past year: Blacked out**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	496	65.7	85.1	85.1
	Once	44	5.8	7.5	92.6
	Twice	20	2.6	3.4	96.1
	3-5 times	18	2.4	3.1	99.1
	6-9 times	1	.1	.2	99.3
	10+ times	4	.5	.7	100.0
	Total		583	77.2	100.0
Missing	System	172	22.8		
Total		755	100.0		

**Consequences of alcohol use in the past year: Did something I later regretted**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	489	64.8	84.5	84.5
	Once	48	6.4	8.3	92.7
	Twice	20	2.6	3.5	96.2
	3-5 times	17	2.3	2.9	99.1
	6-9 times	3	.4	.5	99.7
	10+ times	2	.3	.3	100.0
	Total		579	76.7	100.0
Missing	System	176	23.3		
Total		755	100.0		

**Consequences of alcohol use in the past year: Been in trouble with police, etc**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	573	75.9	99.0	99.0
	Once	6	.8	1.0	100.0
	Total	579	76.7	100.0	
Missing	System	176	23.3		
Total		755	100.0		

**Consequences of alcohol use in the past year: Experienced unwanted sexual activity**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	571	75.6	98.1	98.1
	Once	7	.9	1.2	99.3
	Twice	3	.4	.5	99.8
	3-5 times	1	.1	.2	100.0
	Total	582	77.1	100.0	
Missing	System	173	22.9		
Total		755	100.0		

**Consequences of alcohol use in the past year: Took advantage of someone sexually**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	576	76.3	99.8	99.8
	3-5 times	1	.1	.2	100.0
	Total	577	76.4	100.0	
Missing	System	178	23.6		
Total		755	100.0		

**How often did you drink beer in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	236	31.3	41.7	41.7
	Rarely	108	14.3	19.1	60.8
	Sometimes	109	14.4	19.3	80.0
	Often	99	13.1	17.5	97.5
	Always	14	1.9	2.5	100.0
	Total	566	75.0	100.0	
Missing	System	189	25.0		
Total		755	100.0		

**How often did you drink malt beverages in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	222	29.4	38.5	38.5
	Rarely	132	17.5	22.9	61.5
	Sometimes	122	16.2	21.2	82.6
	Often	95	12.6	16.5	99.1
	Always	5	.7	.9	100.0
	Total		576	76.3	100.0
Missing	System	179	23.7		
Total		755	100.0		

**How often did you drink wine in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	135	17.9	23.6	23.6
	Rarely	145	19.2	25.3	49.0
	Sometimes	153	20.3	26.7	75.7
	Often	128	17.0	22.4	98.1
	Always	11	1.5	1.9	100.0
	Total		572	75.8	100.0
Missing	System	183	24.2		
Total		755	100.0		

**How often did you drink liquor in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	127	16.8	22.1	22.1
	Rarely	158	20.9	27.5	49.7
	Sometimes	165	21.9	28.7	78.4
	Often	112	14.8	19.5	97.9
	Always	12	1.6	2.1	100.0
	Total		574	76.0	100.0
Missing	System	181	24.0		
Total		755	100.0		

**How often did you drink high alcohol drinks in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	467	61.9	81.1	81.1
	Rarely	63	8.3	10.9	92.0
	Sometimes	30	4.0	5.2	97.2
	Often	13	1.7	2.3	99.5
	Always	3	.4	.5	100.0
	Total	576	76.3	100.0	
Missing	System	179	23.7		
Total		755	100.0		

**How often did you drink some other type of alcohol in the past year?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	468	62.0	86.0	86.0
	Rarely	51	6.8	9.4	95.4
	Sometimes	20	2.6	3.7	99.1
	Often	5	.7	.9	100.0
	Total	544	72.1	100.0	
Missing	System	211	27.9		
Total		755	100.0		

**How often do you drink micro-brewed beer?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	119	15.8	36.3	36.3
	Rarely	69	9.1	21.0	57.3
	Sometimes	72	9.5	22.0	79.3
	Often	54	7.2	16.5	95.7
	Always	14	1.9	4.3	100.0
	Total	328	43.4	100.0	
Missing	System	427	56.6		
Total		755	100.0		

**How often do you drink micro-distilled liquor?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	252	33.4	56.5	56.5
	Rarely	105	13.9	23.5	80.0
	Sometimes	69	9.1	15.5	95.5
	Often	18	2.4	4.0	99.6
	Always	2	.3	.4	100.0
	Total	446	59.1	100.0	
Missing	System	309	40.9		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from friends over 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	28	3.7	33.7	33.7
	Rarely	22	2.9	26.5	60.2
	Sometimes	14	1.9	16.9	77.1
	Often	13	1.7	15.7	92.8
	Always	6	.8	7.2	100.0
	Total	83	11.0	100.0	
Missing	System	672	89.0		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from siblings over 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	61	8.1	73.5	73.5
	Rarely	9	1.2	10.8	84.3
	Sometimes	4	.5	4.8	89.2
	Often	7	.9	8.4	97.6
	Always	2	.3	2.4	100.0
	Total	83	11.0	100.0	
Missing	System	672	89.0		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from other adults over 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	53	7.0	63.9	63.9
	Rarely	9	1.2	10.8	74.7
	Sometimes	11	1.5	13.3	88.0
	Often	7	.9	8.4	96.4
	Always	3	.4	3.6	100.0
	Total	83	11.0	100.0	
Missing	System	672	89.0		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol at on-campus parties**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	73	9.7	89.0	89.0
	Rarely	3	.4	3.7	92.7
	Sometimes	5	.7	6.1	98.8
	Often	1	.1	1.2	100.0
	Total	82	10.9	100.0	
Missing	System	673	89.1		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol at fraternity or sorority houses**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	73	9.7	89.0	89.0
	Rarely	4	.5	4.9	93.9
	Sometimes	4	.5	4.9	98.8
	Often	1	.1	1.2	100.0
	Total	82	10.9	100.0	
Missing	System	673	89.1		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol at off-campus parties**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	60	7.9	72.3	72.3
	Rarely	8	1.1	9.6	81.9
	Sometimes	12	1.6	14.5	96.4
	Often	3	.4	3.6	100.0
	Total	83	11.0	100.0	
Missing	System	672	89.0		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from someone under 21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	59	7.8	72.8	72.8
	Rarely	14	1.9	17.3	90.1
	Sometimes	7	.9	8.6	98.8
	Often	1	.1	1.2	100.0
	Total	81	10.7	100.0	
Missing	System	674	89.3		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol from parents**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	46	6.1	55.4	55.4
	Rarely	19	2.5	22.9	78.3
	Sometimes	8	1.1	9.6	88.0
	Often	6	.8	7.2	95.2
	Always	4	.5	4.8	100.0
	Total	83	11.0	100.0	
Missing	System	672	89.0		
Total		755	100.0		

**Students under 21: In the past year, how often have you obtained alcohol some other way**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	72	9.5	87.8	87.8
	Rarely	5	.7	6.1	93.9
	Sometimes	4	.5	4.9	98.8
	Often	1	.1	1.2	100.0
	Total	82	10.9	100.0	
Missing	System	673	89.1		
Total		755	100.0		

**Students under 21: Purchased alcohol from retailer in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.7	5.8	5.8
	No	81	10.7	94.2	100.0
	Total	86	11.4	100.0	
Missing	System	669	88.6		
Total		755	100.0		

**Students under 21: Used fake ID in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	2	.3	50.0	50.0
	No	2	.3	50.0	100.0
	Total	4	.5	100.0	
Missing	System	751	99.5		
Total		755	100.0		

**Students under 21: Used someone elses ID in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	4	.5	100.0	100.0
Missing	System	751	99.5		
Total		755	100.0		



**Students under 21: Bought without using ID in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	3	.4	75.0	75.0
	No	1	.1	25.0	100.0
	Total	4	.5	100.0	
Missing	System	751	99.5		
Total		755	100.0		

**Students under 21: Purchased alcohol at bar**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2	.3	40.0	40.0
	3-5 times	1	.1	20.0	60.0
	6-10 times	1	.1	20.0	80.0
	11 or more times	1	.1	20.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at restaurant**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1-2 times per year	1	.1	20.0	20.0
	3-5 times	2	.3	40.0	60.0
	6-10 times	1	.1	20.0	80.0
	11 or more times	1	.1	20.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at grocery store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2	.3	40.0	40.0
	1-2 times per year	1	.1	20.0	60.0
	11 or more times	2	.3	40.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at discount store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	.4	60.0	60.0
	3-5 times	1	.1	20.0	80.0
	11 or more times	1	.1	20.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at convenience store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	.4	60.0	60.0
	1-2 times per year	1	.1	20.0	80.0
	6-10 times	1	.1	20.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at drug store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	.4	60.0	60.0
	1-2 times per year	1	.1	20.0	80.0
	3-5 times	1	.1	20.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at liquor store**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	2	.3	40.0	40.0
	3-5 times	1	.1	20.0	60.0
	6-10 times	1	.1	20.0	80.0
	11 or more times	1	.1	20.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at winery or micro-brewery**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	.4	60.0	60.0
	1-2 times per year	2	.3	40.0	100.0
	Total	5	.7	100.0	
Missing	System	750	99.3		
Total		755	100.0		

**Students under 21: Purchased alcohol at other**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	.7	100.0	100.0
Missing	System	750	99.3		
Total		755	100.0		

**Any age: Purchased alcohol online or via phone/mail**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	86	11.4	100.0	100.0
Missing	System	669	88.6		
Total		755	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus housing**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	40	5.3	26.7	26.7
	Somewhat Likely	48	6.4	32.0	58.7
	Somewhat Unlikely	17	2.3	11.3	70.0
	Very Unlikely	13	1.7	8.7	78.7
	Don't Know	32	4.2	21.3	100.0
	Total	150	19.9	100.0	
Missing	System	605	80.1		
Total		755	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus housing**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	11	1.5	7.3	7.3
	Somewhat Likely	26	3.4	17.3	24.7
	Somewhat Unlikely	30	4.0	20.0	44.7
	Very Unlikely	50	6.6	33.3	78.0
	Don't Know	33	4.4	22.0	100.0
	Total	150	19.9	100.0	
Missing	System	605	80.1		
Total		755	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	51	6.8	34.0	34.0
	Somewhat Likely	44	5.8	29.3	63.3
	Somewhat Unlikely	19	2.5	12.7	76.0
	Very Unlikely	7	.9	4.7	80.7
	Don't Know	29	3.8	19.3	100.0
	Total	150	19.9	100.0	
Missing	System	605	80.1		
Total		755	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	15	2.0	10.1	10.1
	Somewhat Likely	32	4.2	21.5	31.5
	Somewhat Unlikely	37	4.9	24.8	56.4
	Very Unlikely	35	4.6	23.5	79.9
	Don't Know	30	4.0	20.1	100.0
	Total	149	19.7	100.0	
Missing	System	606	80.3		
Total		755	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at athletic event**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	40	5.3	26.8	26.8
	Somewhat Likely	29	3.8	19.5	46.3
	Somewhat Unlikely	32	4.2	21.5	67.8
	Very Unlikely	15	2.0	10.1	77.9
	Don't Know	33	4.4	22.1	100.0
	Total	149	19.7	100.0	
Missing	System	606	80.3		
Total		755	100.0		

**Likelihood of a student under 21 years of age being ticketed or arrested when drinking at other places**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	19	2.5	12.8	12.8
	Somewhat Likely	49	6.5	33.1	45.9
	Somewhat Unlikely	24	3.2	16.2	62.2
	Very Unlikely	22	2.9	14.9	77.0
	Don't Know	34	4.5	23.0	100.0
	Total	148	19.6	100.0	
Missing	System	607	80.4		
Total		755	100.0		

**Perceived number of alcoholic drinks consumed by the typical student at the last party**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	31	4.1	4.5	4.5
	1	29	3.8	4.2	8.7
	2	78	10.3	11.3	20.0
	3	157	20.8	22.8	42.8
	4	157	20.8	22.8	65.6
	5	129	17.1	18.7	84.3
	6	53	7.0	7.7	92.0
	7	20	2.6	2.9	94.9
	8	16	2.1	2.3	97.2
	9	3	.4	.4	97.7
	10	9	1.2	1.3	99.0
	12	2	.3	.3	99.3
	15 or more drinks	5	.7	.7	100.0
	Total	689	91.3	100.0	
Missing	System	66	8.7		
	Total	755	100.0		

**Perceived percent of students at your school who used alcohol in past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	17	2.3	2.5	2.5
	5%	10	1.3	1.5	3.9
	10%	20	2.6	2.9	6.9
	15%	16	2.1	2.3	9.2
	20%	28	3.7	4.1	13.3
	25%	28	3.7	4.1	17.3
	30%	30	4.0	4.4	21.7
	35%	25	3.3	3.6	25.4
	40%	44	5.8	6.4	31.8
	45%	20	2.6	2.9	34.7
	50%	65	8.6	9.5	44.2
	55%	12	1.6	1.7	45.9
	60%	67	8.9	9.8	55.7
	65%	46	6.1	6.7	62.4
	70%	76	10.1	11.1	73.5
	75%	75	9.9	10.9	84.4
	80%	49	6.5	7.1	91.5
	85%	30	4.0	4.4	95.9
	90%	19	2.5	2.8	98.7
	95%	6	.8	.9	99.6
100%	3	.4	.4	100.0	
	Total	686	90.9	100.0	
Missing	System	69	9.1		
Total		755	100.0		

**Had your belongings or property damaged in the past year because of other students drinking**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	679	89.9	97.4	97.4
	Once	15	2.0	2.2	99.6
	2-3 times	3	.4	.4	100.0
	Total	697	92.3	100.0	
Missing	System	58	7.7		
Total		755	100.0		

**Had to take care of another student who drank too much in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	570	75.5	82.0	82.0
	Once	62	8.2	8.9	90.9
	2-3 times	46	6.1	6.6	97.6
	4 or more times	17	2.3	2.4	100.0
	Total	695	92.1	100.0	
Missing	System	60	7.9		
Total		755	100.0		

**Found vomit in the halls or other areas of your residence in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	675	89.4	97.3	97.3
	Once	11	1.5	1.6	98.8
	2-3 times	5	.7	.7	99.6
	4 or more times	3	.4	.4	100.0
	Total	694	91.9	100.0	
Missing	System	61	8.1		
Total		755	100.0		

**Had your studying or sleep interrupted because of other students drinking in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	627	83.0	90.1	90.1
	Once	33	4.4	4.7	94.8
	2-3 times	27	3.6	3.9	98.7
	4 or more times	9	1.2	1.3	100.0
	Total	696	92.2	100.0	
Missing	System	59	7.8		
Total		755	100.0		



**Had to act as a designated driver for another student in the past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	581	77.0	83.8	83.8
	Once	59	7.8	8.5	92.4
	2-3 times	37	4.9	5.3	97.7
	4 or more times	16	2.1	2.3	100.0
	Total	693	91.8	100.0	
Missing	System	62	8.2		
Total		755	100.0		

**How do you think your close friends feel about you having five or more alcoholic drinks in one sitting?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	188	24.9	26.9	26.9
	Somewhat disapprove	125	16.6	17.9	44.8
	Neither approve or disapprove	283	37.5	40.5	85.4
	Somewhat approve	66	8.7	9.5	94.8
	Strongly approve	36	4.8	5.2	100.0
	Total	698	92.5	100.0	
Missing	System	57	7.5		
Total		755	100.0		

**How do you think your close friends feel about you using prescription medication not prescribed to you?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	441	58.4	63.3	63.3
	Somewhat disapprove	151	20.0	21.7	84.9
	Neither approve or disapprove	98	13.0	14.1	99.0
	Somewhat approve	3	.4	.4	99.4
	Strongly approve	4	.5	.6	100.0
	Total	697	92.3	100.0	
Missing	System	58	7.7		
Total		755	100.0		

**How do you think your close friends feel about you using marijuana?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	178	23.6	25.5	25.5
	Somewhat disapprove	92	12.2	13.2	38.7
	Neither approve or disapprove	265	35.1	38.0	76.6
	Somewhat approve	89	11.8	12.8	89.4
	Strongly approve	74	9.8	10.6	100.0
	Total	698	92.5	100.0	
Missing	System	57	7.5		
Total		755	100.0		

**Number of days in past month that mental health was not good**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	126	16.7	18.3	18.3
	1	27	3.6	3.9	22.2
	2	60	7.9	8.7	30.9
	3	41	5.4	5.9	36.8
	4	29	3.8	4.2	41.0
	5	69	9.1	10.0	51.0
	6	14	1.9	2.0	53.0
	7	21	2.8	3.0	56.1
	8	11	1.5	1.6	57.7
	9	3	.4	.4	58.1
	10	65	8.6	9.4	67.5
	11	5	.7	.7	68.3
	12	5	.7	.7	69.0
	13	6	.8	.9	69.9
	14	10	1.3	1.4	71.3
	15	50	6.6	7.2	78.6
	16	1	.1	.1	78.7
	17	3	.4	.4	79.1
	18	4	.5	.6	79.7
	19	2	.3	.3	80.0
	20	44	5.8	6.4	86.4
	21	1	.1	.1	86.5
	22	3	.4	.4	87.0
23	3	.4	.4	87.4	

**Number of days in past month that mental health was not good**

		Frequency	Percent	Valid Percent	Cumulative Percent
	24	1	.1	.1	87.5
	25	23	3.0	3.3	90.9
	26	6	.8	.9	91.7
	27	3	.4	.4	92.2
	28	5	.7	.7	92.9
	29	4	.5	.6	93.5
	30	39	5.2	5.7	99.1
	Don't know, not sure	6	.8	.9	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Felt sad or hopeless in past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	240	31.8	34.7	34.7
	No	452	59.9	65.3	100.0
	Total	692	91.7	100.0	
Missing	System	63	8.3		
Total		755	100.0		

**Seriously considered attempting suicide in past year**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	64	8.5	9.2	9.2
	No	628	83.2	90.8	100.0
	Total	692	91.7	100.0	
Missing	System	63	8.3		
Total		755	100.0		

**Identify as sober and in recovery from alcohol or drug addiction**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	23	3.0	3.3	3.3
	No	668	88.5	96.7	100.0
	Total	691	91.5	100.0	
Missing	System	64	8.5		
Total		755	100.0		

**Gambling in past year: Pools (e.g., March Madness)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	644	85.3	93.1	93.1
	Less than once a month	43	5.7	6.2	99.3
	1-3 times per month	5	.7	.7	100.0
	Total	692	91.7	100.0	
Missing	System	63	8.3		
Total		755	100.0		

**Gambling in past year: Fantasy sports**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	648	85.8	93.9	93.9
	Less than once a month	31	4.1	4.5	98.4
	1-3 times per month	5	.7	.7	99.1
	Once a week or more	6	.8	.9	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Gambling in past year: Video game loot boxes**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	656	86.9	95.1	95.1
	Less than once a month	22	2.9	3.2	98.3
	1-3 times per month	9	1.2	1.3	99.6
	Once a week or more	3	.4	.4	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Gambling in past year: Other sports betting**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	651	86.2	94.3	94.3
	Less than once a month	22	2.9	3.2	97.5
	1-3 times per month	9	1.2	1.3	98.8
	Once a week or more	8	1.1	1.2	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Gambling in past year: Gambled on-line**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	680	90.1	98.4	98.4
	Less than once a month	8	1.1	1.2	99.6
	1-3 times per month	2	.3	.3	99.9
	Once a week or more	1	.1	.1	100.0
	Total	691	91.5	100.0	
Missing	System	64	8.5		
Total		755	100.0		

**Gambling in past year: Competitive video gaming**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	682	90.3	98.8	98.8
	Less than once a month	5	.7	.7	99.6
	1-3 times per month	3	.4	.4	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Gambling in past year: Horse tracks**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	681	90.2	98.7	98.7
	Less than once a month	9	1.2	1.3	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Gambling in past year: Card games (not at casino)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	653	86.5	94.9	94.9
	Less than once a month	32	4.2	4.7	99.6
	1-3 times per month	3	.4	.4	100.0
	Total	688	91.1	100.0	
Missing	System	67	8.9		
Total		755	100.0		

**Gambling in past year: Lottery**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	603	79.9	87.3	87.3
	Less than once a month	77	10.2	11.1	98.4
	1-3 times per month	9	1.2	1.3	99.7
	Once a week or more	2	.3	.3	100.0
	Total	691	91.5	100.0	
Missing	System	64	8.5		
Total		755	100.0		

**Gambling in past year: Gambled at a casino**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	646	85.6	93.6	93.6
	Less than once a month	43	5.7	6.2	99.9
	1-3 times per month	1	.1	.1	100.0
	Total	690	91.4	100.0	
Missing	System	65	8.6		
Total		755	100.0		

**Gambling in past year: Charitable gambling (e.g., bingo)**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	664	87.9	96.1	96.1
	Less than once a month	25	3.3	3.6	99.7
	1-3 times per month	2	.3	.3	100.0
	Total	691	91.5	100.0	
Missing	System	64	8.5		
Total		755	100.0		

**Gambling in past year: Other ways**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	635	84.1	97.1	97.1
	Less than once a month	13	1.7	2.0	99.1
	1-3 times per month	2	.3	.3	99.4
	Once a week or more	4	.5	.6	100.0
	Total	654	86.6	100.0	
Missing	System	101	13.4		
Total		755	100.0		

**Most common reason for gambling**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I do not gamble	499	66.1	72.4	72.4
	Source of entertainment	118	15.6	17.1	89.6
	Source of excitement or challenge	17	2.3	2.5	92.0
	Way to socialize	23	3.0	3.3	95.4
	Way to get rich	12	1.6	1.7	97.1
	Source of money for paying bills	3	.4	.4	97.5
	Source of money to support charities	5	.7	.7	98.3
	Hobby	8	1.1	1.2	99.4
	Escape or distraction from everyday problems	4	.5	.6	100.0
	Total	689	91.3	100.0	
Missing	System	66	8.7		
Total		755	100.0		

**Consequences of gambling: Not sleeping**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	665	88.1	99.4	99.4
	Occasionally	4	.5	.6	100.0
	Total	669	88.6	100.0	
Missing	System	86	11.4		
Total		755	100.0		

**Consequences of gambling: Poor hygiene**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	667	88.3	99.7	99.7
	Occasionally	2	.3	.3	100.0
	Total	669	88.6	100.0	
Missing	System	86	11.4		
Total		755	100.0		



**Consequences of gambling: Loss of friendships**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	669	88.6	100.0	100.0
Missing	System	86	11.4		
Total		755	100.0		

**Consequences of gambling: Family/parent issues**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	668	88.5	99.9	99.9
	Occasionally	1	.1	.1	100.0
	Total	669	88.6	100.0	
Missing	System	86	11.4		
Total		755	100.0		

**Consequences of gambling: School problems**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	665	88.1	99.6	99.6
	Occasionally	3	.4	.4	100.0
	Total	668	88.5	100.0	
Missing	System	87	11.5		
Total		755	100.0		

**Consequences of gambling: Money issues**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	662	87.7	99.0	99.0
	Occasionally	7	.9	1.0	100.0
	Total	669	88.6	100.0	
Missing	System	86	11.4		
Total		755	100.0		

**Consequences of gambling: Felt bad about gambling**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	655	86.8	97.9	97.9
	Occasionally	13	1.7	1.9	99.9
	Frequently	1	.1	.1	100.0
	Total	669	88.6	100.0	
Missing	System	86	11.4		
Total		755	100.0		

**Consequences of gambling: Depression**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	663	87.8	99.1	99.1
	Occasionally	6	.8	.9	100.0
	Total	669	88.6	100.0	
Missing	System	86	11.4		
Total		755	100.0		

**Over your next 10 opportunities to drink, on how many occasions do you intend/plan to drink 5 or more alcoholic beverages?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	436	57.7	63.5	63.5
	1	86	11.4	12.5	76.0
	2	61	8.1	8.9	84.9
	3	30	4.0	4.4	89.2
	4	10	1.3	1.5	90.7
	5	27	3.6	3.9	94.6
	6	9	1.2	1.3	95.9
	7	10	1.3	1.5	97.4
	8	6	.8	.9	98.3
	9	1	.1	.1	98.4
	10	11	1.5	1.6	100.0
Total		687	91.0	100.0	
Missing	System	68	9.0		
Total		755	100.0		

**How often do you feel isolated from others?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	155	20.5	22.6	22.6
	Rarely	182	24.1	26.5	49.1
	Sometimes	288	38.1	42.0	91.1
	Always	61	8.1	8.9	100.0
	Total	686	90.9	100.0	
Missing	System	69	9.1		
Total		755	100.0		

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid		120	15.9	15.9	15.9
	A decrease in the amount I drink.	1	.1	.1	16.0
	a slight increase in Alcohol I do not partake in anything else but caffeine.	1	.1	.1	16.2
	Access to drugs and alcohol has decreased with COVID-19 since I haven't been partying.	1	.1	.1	16.3
	Actually I am drinking less as I am usually a social drinker.	1	.1	.1	16.4
	Alcohol use has definitely increased due to COVID	1	.1	.1	16.6
	Alcohol use has increased significantly.	1	.1	.1	16.7
	At first it encouraged me to drink or consume marijuana more often; as I was bored and didn't have much to do. I later realized that I should only rarely do it when hanging out with friends; as it's usually not productive.	1	.1	.1	16.8

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
At the beginning of quarantine my marijuana consumption went up quite a bit since there wasn't much else to do. I never really started drinking much until this current school year began.	1	.1	.1	17.0
Barely	1	.1	.1	17.1
bars were closed	1	.1	.1	17.2
CBD use is up for pain management and sleeping. I do not drink anymore.	1	.1	.1	17.4
Couldn't go to bars when I turned 21	1	.1	.1	17.5
COVID hasn't had any affect on my use of alcohol. I don't use any other drugs or tobacco.	1	.1	.1	17.6
COVID-19 has made alcohol more appealing due to the feeling of being trapped/bored. However; living with friends/family who tend to enjoy social drinking; the COVID-19 Pandemic has not ruined smaller; social gatherings. If anything; it has increased them.	1	.1	.1	17.7
Covid-19 has negatively impacted my use of alcohol and tobacco products (vapes). I don't believe I have a "problem" with drinking; but I do feel more isolated and stressed than before the pandemic. I generally drink a glass of wine at night on weeknights and on weekends I drink 3 drinks on a Friday or Saturday.	1	.1	.1	17.9

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
COVID-19 has not affected my use of alcohol; tobacco; or other drugs.	1	.1	.1	18.0
COVID-19 has not impacted the use of alcohol or drugs for me. I do not smoke nor drink at parties. I have only ever smoke or drunk at small gatherings with my closest friends. Only ever 3 or less people.	1	.1	.1	18.1
COVID-19 has played a role in my increased alcohol and marijuana use.	1	.1	.1	18.3
COVID-19 increased my alcohol use.	1	.1	.1	18.4
COVID19 has not changed my lifestyle at all. I was already technically living the quarantine life. What COVID19 did change; is that everyone around me is also living the quarantine life. Now I am not alone in my lifestyle; but it doesn't actually benefit me because everyone else feels as bad as I do.	1	.1	.1	18.5
Cut back severely	1	.1	.1	18.7
Decreased alcohol use.	1	.1	.1	18.8
Decreased as less social events	1	.1	.1	18.9
Decreased because fewer social gatherings	1	.1	.1	19.1
Decreased because of being unable to celebrate with friends	1	.1	.1	19.2
Decreased consumption overall.	1	.1	.1	19.3
Decreased due to decreased social events.	1	.1	.1	19.5

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Decreased my alcohol and drug use because of lack of social situations	1	.1	.1	19.6
Decreased the amount that I drink. I typically only drink socially at a bar with friends and those interactions have been curtailed.	1	.1	.1	19.7
Definitely resorted to drinking with my friends at my house for fun cause there wasn't much to do	1	.1	.1	19.9
Did not affect	1	.1	.1	20.0
Did not change	1	.1	.1	20.1
Did not drink; except one occasion where I consumed ~3-4 drinks; or use substances before the pandemic and continued to not use these during the pandemic.	1	.1	.1	20.3
Didn't use alcohol/drugs before pandemic and I still don't use them now.	1	.1	.1	20.4
Didn't use drugs or drink alcohol in the first place and will continue to not do them.	1	.1	.1	20.5
Do not affect	1	.1	.1	20.7
Do not go to bars anymore; more drinking with just one person or less than 5 other people.	1	.1	.1	20.8
Doing it less because I don't go out or see people	1	.1	.1	20.9
doing it less i guess	1	.1	.1	21.1
Don't use	1	.1	.1	21.2
Don't do drugs	1	.1	.1	21.3

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Don't use any substances because family has a history of alcoholism and I don't want to end up like that..	1	.1	.1	21.5
Drink at apartments and not bars	1	.1	.1	21.6
drink less	1	.1	.1	21.7
drink less due to less social situations. i only drink when I'm happy or to celebrate; and these have also occurred less frequently; so overall less.	1	.1	.1	21.9
drink less with friends socially	1	.1	.1	22.0
Drink more	1	.1	.1	22.1
Drink more because of the stress of uncertainty	1	.1	.1	22.3
Drinking at home more	1	.1	.1	22.4
Drinking less because not hanging out with friends/going to restaurants	1	.1	.1	22.5
drinking less; smoking weed much more. nicotine products about the same	1	.1	.1	22.6
Drinking more alone; and during daytime hours...	1	.1	.1	22.8
Drug use has increased.	1	.1	.1	22.9
During lockdown increased intake of alcohol and marijuana	1	.1	.1	23.0
During quarantine it has increased my use of alcohol due to being in the house/out of boredom. However; since things have opened back up and life has started going back to somewhat normal it had decreased.	1	.1	.1	23.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
During this pandemic; I have definitely noticed that I smoke more than I ever have in my life. During lockdown; I feel like that was all I was doing. My usage increased from half a pack a day to almost two packs until I stopped and started vaping.	1	.1	.1	23.3
either increased it sometimes because of boredom or decreased because I didn't have anyone to do it with so wasn't really as enjoyable.	1	.1	.1	23.4
Escalated intake of alcohol	1	.1	.1	23.6
Escalated my use of alcohol. Went from ~5-7 drinks/weeks to ~10-15 drinks/week.	1	.1	.1	23.7
Especially in the beginning I drank more often during the week. I don't really do other drugs because I am not out socializing.	1	.1	.1	23.8
Hard to affect it when you don't do it	1	.1	.1	24.0
has made no affect	1	.1	.1	24.1
Has not	3	.4	.4	24.5
Has not affected	1	.1	.1	24.6
Has not affected in the slightest since I don't do any of those things.	1	.1	.1	24.8
Has not affected it	1	.1	.1	24.9
Has not affected me	1	.1	.1	25.0
Has not affected me at all.	1	.1	.1	25.2
has not affected my use but has affected how enjoyable it is	1	.1	.1	25.3



**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Has not changed	1	.1	.1	25.4
Has not changed. Did not drink much before the pandemic and didn't drink more because of the pandemic	1	.1	.1	25.6
has not really affected it i don't do it often at all if ever really.	1	.1	.1	25.7
Has not.	1	.1	.1	25.8
Hasn't	2	.3	.3	26.1
Hasn't affected it.	1	.1	.1	26.2
Hasn't	2	.3	.3	26.5
Hasn't affected me.	1	.1	.1	26.6
Hasn't changed much	1	.1	.1	26.8
hasnt	1	.1	.1	26.9
Hasnt	3	.4	.4	27.3
Have been using substances much less so that I can process what I'm going through sober and clearmindedly	1	.1	.1	27.4
Have had more alcohol in general; but more being 1 drink with a meal	1	.1	.1	27.5
Haven't used	1	.1	.1	27.7
Higher usage	1	.1	.1	27.8
Honestly use them less because there aren't any social gatherings	1	.1	.1	27.9
I am a social drinker; I drank less alcohol.	1	.1	.1	28.1
I am a social drinker; so not being able to go out with my friends as much means I drink less than usual. But when I do see my friends; sometimes I tend to drink more to make up for it.	1	.1	.1	28.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I am a social drinker. It has limited my substance intake greatly because of restaurants and bars being closed down. I occasionally have a glass of wine at home.	1	.1	.1	28.3
I am not much of a drinker still	1	.1	.1	28.5
I consume more alcohol	1	.1	.1	28.6
I definitely drink a lot less socially; but the amount that I would drink (1-2 servings) at a time has not changed.	1	.1	.1	28.7
I did not care because I am not addicted to it. I drink mostly with friends on occasions	1	.1	.1	28.9
I didn't really do it before and it hasn't really affected it now	1	.1	.1	29.0
I didn't usually drink unless socially so I've not drank and I don't do drugs.	1	.1	.1	29.1
I do it a lot more	1	.1	.1	29.3
I do not do drugs	1	.1	.1	29.4
I do not do those things anyway.	1	.1	.1	29.5
I do not drink as much because I tend to drink more socially.	1	.1	.1	29.7
I do not drink or use drugs	1	.1	.1	29.8
I do not use alcohol; tobacco; or any other drugs.	1	.1	.1	29.9
I do not use any such thing	1	.1	.1	30.1
I don't do any of these for religious purposes	1	.1	.1	30.2
I don't do drugs	1	.1	.1	30.3
I DON'T DO DRUGS	1	.1	.1	30.5

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I don't drink alcohol; nor I use tobacco or other drugs	1	.1	.1	30.6
I don't drink any more or less than I did before the pandemic began.	1	.1	.1	30.7
I don't drink or smoke	1	.1	.1	30.9
I don't drink or use drugs	1	.1	.1	31.0
I don't drink; smoke; or do drugs; so the pandemic hasn't affected it in any way.	1	.1	.1	31.1
I don't drink.	1	.1	.1	31.3
I don't go to bars as often	1	.1	.1	31.4
I don't hang out with people very much on a social level since COVID. Therefore; I don't drink much. I do not drink alone; period.	1	.1	.1	31.5
I don't socialize enough to go out and drink.	1	.1	.1	31.7
I don't think it has effected by use of alcohol and I never use tobacco or other drugs.	1	.1	.1	31.8
I don't use alcohol or drugs.	1	.1	.1	31.9
I don't use alcohol; tobacco; or drugs regardless to the pandemic. I haven't used any of these for over 6 years. I was also pregnant last year and am currently breastfeeding so I wouldn't do these things if I wanted to anyway because of that.	1	.1	.1	32.1
I don't use alcohol; tobacco; or other drugs.	1	.1	.1	32.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I don't use alcohol; tobacco; or other drugs. I only use drugs that are prescribed to me. Even before the pandemic; I did not use alcohol; tobacco; or drugs.	1	.1	.1	32.3
I don't use any of these so it hasn't affected anything.	1	.1	.1	32.5
I don't use any of these.	1	.1	.1	32.6
I don't drink or use any sort of drugs.	1	.1	.1	32.7
I don't do these	1	.1	.1	32.8
I don't drink as much because I don't have the social pressure.	1	.1	.1	33.0
I don't drink at all	1	.1	.1	33.1
I don't really like to drink; so it hasn't affected any of the things listed.	1	.1	.1	33.2
I don't use	1	.1	.1	33.4
I don't use any of the above.	1	.1	.1	33.5
I don't use any of these.	1	.1	.1	33.6
I don't use them.	1	.1	.1	33.8
I don't use these	1	.1	.1	33.9
I don't socially drink as much. It's actually improved since I don't drink often and when I do; it's no more than 1 drink. On occasion maybe two but rarely.	1	.1	.1	34.0
I don't think it has affected my use of alcohol	1	.1	.1	34.2
I don't use alcohol; tobacco; or other drugs so not at all.	1	.1	.1	34.3
I don't use any of those things	1	.1	.1	34.4
I don't use drugs	1	.1	.1	34.6

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I drank more at the beginning of COVID with my family but now I'm about back to how much I normally do	1	.1	.1	34.7
I drank slightly more at the beginning; but not a problem amount.	1	.1	.1	34.8
I drink a little more than I used to; but I have not found it to affect my life in an adverse way at this point.	1	.1	.1	35.0
I drink at home more since I'm not going to bars	1	.1	.1	35.1
I drink less because alcohol suppresses your immune system. Working in health care and before being vaccinated I couldn't risk getting sick.	1	.1	.1	35.2
I drink less because bars are on restriction.	1	.1	.1	35.4
I drink less because I don't drink at home.	1	.1	.1	35.5
I drink less because I'm home all the time; my occasional instances of drinking are in social settings and my dad is a recovering alcoholic; so I make a effort not to drink in front of him.	1	.1	.1	35.6
i drink less; since we go out less	1	.1	.1	35.8
I drink less. I drink more socially when I went out with friends.	1	.1	.1	35.9
I drink more and use nicotine more.	1	.1	.1	36.0
I drink more at home	1	.1	.1	36.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I drink more frequently; almost daily now; in the evenings; usually with dinner. The amount I drink has remained the same; almost always only one drink; ie. one can of beer or one glass of wine. About 1 x month; I have a second drink.	1	.1	.1	36.3
I drink more often at home	1	.1	.1	36.4
I drink much more now that Covid has taken away my social opportunities	1	.1	.1	36.6
I drink or smoke more out of boredom.	1	.1	.1	36.7
I drink significantly less because it's not worth it. I also experienced the death of a father who told me to take care of my health. I always have and so did he; but sometimes we end up with bad luck. Even before covid; I didn't drink that much (once a month or less) but I rarely drink now. I did have to go on prescription stimulants because of ADHD and lack of concentration and motivation with online classes.	1	.1	.1	36.8
I drink significantly more often to deal with feelings of loneliness and isolation; and I also drink as a direct response to COVID-19-related stressors from work; where I go to work in person.	1	.1	.1	37.0

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I feel like Covid makes me feel alone and anxious and sometimes at night I'll mix a Truly with Vodka to relax me and make me just zone out at least just for a little bit and escape from everything virus; political; and 2020. Covid has made it so that residents in student housing are not allowed to have ANY guests; so that means no social support. My friends and boyfriend can not come over and have a movie night to help me charge my mental health battery (thanks a lot housing... insert eye roll) so sometimes I zone out with alcohol. Usually two or three times a week. Housing Officials do not care because they are allowed to go home every night to their families and the other housing officials (the RCs) are allowed in each other's apartments.	1	.1	.1	37.1
I feel that COVID has had little to no effect on my use of alcohol or other drugs.	1	.1	.1	37.2
I got busier so made it less	1	.1	.1	37.4
I has not affected it at all. I really don like alcohol so I may try a sip of someones drink but that is it. Never used drugs and have not done any tobacco related things since three years ago.	1	.1	.1	37.5

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I have a huge loving family & spiritual foundation and honestly don't like the taste of alcohol. My family is very close and the pandemic honestly brought us closer. I've actually never used drugs or drank and don't intend to.	1	.1	.1	37.6
I have been drinking and vaping more.	1	.1	.1	37.7
I have been drinking less because I only like to drink when I'm socializing with friends.	1	.1	.1	37.9
I have continued not using any alcohol; tobacco; or other drugs.	1	.1	.1	38.0
I have definitely increased the amount of beer consumed during the week.	1	.1	.1	38.1
I have drank considerably more since the Covid-19 pandemic began; however I have stopped smoking marijuana since then.	1	.1	.1	38.3
I have drank less. No effect on other substances.	1	.1	.1	38.4
I have drank more craft beer as something to do	1	.1	.1	38.5
I have drank more since COVID-19 but I also turned 21 in May of last year	1	.1	.1	38.7
I have had less because of fewer social gatherings	1	.1	.1	38.8
I have less drinks at bars because I do not feel safe going to them or they have been closed.	1	.1	.1	38.9



**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I have never been a huge drinker. I usually just drink to socialize. Since socializing in public has been significantly reduced; I've also rarely touched an alcoholic drink this year.	1	.1	.1	39.1
I have never used alcohol; tobacco; or illicit drugs	1	.1	.1	39.2
I have never used any of these substances so it didn't change any usage	1	.1	.1	39.3
I have never used any of these.	1	.1	.1	39.5
I have not drank alcohol as much as I did before	1	.1	.1	39.6
I have not used alcohol; tobacco; etc. ever; and the COVID-19 pandemic has not tempted me to try using them.	1	.1	.1	39.7
I have not used Alcohol/Drugs before or during the pandemic.	1	.1	.1	39.9
I have remained sober during this time.	1	.1	.1	40.0
I have used marijuana more often; but I would not say my consumption of alcohol has increased since the pandemic began.	1	.1	.1	40.1
I haven't bothered to think about drinking or doing anything that was listed. That said; I think any of this is silly and not worth time.	1	.1	.1	40.3
I haven't had a drink in two years but covid had made me very sad so I sleep a lot	1	.1	.1	40.4

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I just turned 21 in February. It's sad I couldn't go to any bars or anything for my 21st.	1	.1	.1	40.5
I live with my parents and have only had one opportunity to drink since turning 21. Because of the pandemic I have continued to not use any substances because of my living situation.	1	.1	.1	40.7
I maybe drink a bit more but that just means like one or two glasses of wine; nothing crazy. Mostly because my husband and I do not have anyone to share our wine with since we're social distancing because of the pandemic.	1	.1	.1	40.8
I might partake more frequently due to not going aware the next day. (I end to get headaches- esp drink wine)	1	.1	.1	40.9
I no longer drink in social settings; mostly by myself but I don't drink as often	1	.1	.1	41.1
I probably drink less than in the past because I attend fewer social gatherings.	1	.1	.1	41.2
I probably drink more	1	.1	.1	41.3
I quit drinking alcohol and smoking cigarettes to take care of my health.	1	.1	.1	41.5
I rarely drink or smoke anymore. I used to socialize a lot (3-4 days per week); but since the pandemic I do not feel safe at bars or restaurants.	1	.1	.1	41.6

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
i rarely drink so it hasn't affected me	1	.1	.1	41.7
I sit at home with my friends and drink on the weekends: -)	1	.1	.1	41.9
I smoke a lot more weed.	1	.1	.1	42.0
I started drinking from boredom	1	.1	.1	42.1
I started using more drugs	1	.1	.1	42.3
I stopped going to the bars with friends; and don't drink at home often; so my alcohol use has lowered; but tobacco use has gotten more frequent.	1	.1	.1	42.4
I think I may drink a little more because I am at home more often; away from things to do.	1	.1	.1	42.5
I think it helps to reduce alcohol due to fewer parties.	1	.1	.1	42.6
I turned 21 during the pandemic so I think that affected my intake in alcohol because I could legally have it. I enjoy a glass of wine or two on the weekend!	1	.1	.1	42.8
I typically have one glass of wine while cooking dinner once or twice a week; which is not a habit I ever had before the pandemic.	1	.1	.1	42.9
I use alcohol less often because there are less social interactions	1	.1	.1	43.0
I use less of them overall but more in a row when traveling to see friends aka the last 2 weeks.	1	.1	.1	43.2
I use slightly more substances.	1	.1	.1	43.3

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I use them when in stress or facing an assignment that is challenging to turn off my want to not do the assignment.	1	.1	.1	43.4
I want to and am able to drink more	1	.1	.1	43.6
I was drinking nearly all day until I was able to go back to work.	1	.1	.1	43.7
I work in healthcare; has decreased due to working so often	1	.1	.1	43.8
I work so not any '	1	.1	.1	44.0
I would say I consume more wine.	1	.1	.1	44.1
I would say I have been drinking more as a result of the pandemic	1	.1	.1	44.2
I would say it has probably increased it.	1	.1	.1	44.4
I would say that the pandemic has lessened them since I am no longer able to hang out with friends.	1	.1	.1	44.5
I'm always home so it's easier to access it more often right now	1	.1	.1	44.6
I've basically quit drinking and now only smoke weed because it is healthier.	1	.1	.1	44.8
I've drank more than normal but only by a few. Instead of 2 smirnoffs I'll drink 3; that type of thing.	1	.1	.1	44.9
I've never drank/smoked or used illicit drugs	1	.1	.1	45.0
I've still been working throughout the pandemic so I don't feel like it's affected my use of alcohol.	1	.1	.1	45.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
I'm never tried alcohol before; so I don't like it at all.	1	.1	.1	45.3
I've drank less since COVID-19 due to bars being closed	1	.1	.1	45.4
I've drank more.	1	.1	.1	45.6
I've had more drinks during the pandemic.	1	.1	.1	45.7
If anything drink less due to the more schoolwork	1	.1	.1	45.8
If anything; I drink less because there are fewer social interactions (the only time that I DO drink)	1	.1	.1	46.0
In 2020; when the lockdown began; my husband and I would drink wine more often than usual - mostly out of boredom. But it lost its novelty quickly and we returned to our usual amount of 1 drink a week.	1	.1	.1	46.1
in the beginning I was devastated and isolated for months even from the people I lived with; so I was drinking wine a lot and becoming increasingly depressed so I went back to therapy	1	.1	.1	46.2
In the beginning I was drinking and smoking more than usual but now I hardly ever do either.	1	.1	.1	46.4
In the beginning it had a major impact but that has since declined due to therapy; reducing stress; and other positive life changes.	1	.1	.1	46.5
increase	1	.1	.1	46.6
Increase alcohol consumption	1	.1	.1	46.8

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Increase alcohol intake out of boredom.	1	.1	.1	46.9
Increase in the frequency of my drinking (but the not the amount in one sitting).	1	.1	.1	47.0
Increase in vaping due to being at home.	1	.1	.1	47.2
increase slightly	1	.1	.1	47.3
Increase use; nothing else to do	1	.1	.1	47.4
Increased	5	.7	.7	48.1
Increased alcohol	1	.1	.1	48.2
Increased alcohol consumption	2	.3	.3	48.5
Increased alcohol consumption by quite a bit	1	.1	.1	48.6
Increased alcohol consumption.	1	.1	.1	48.7
increased alcohol use	1	.1	.1	48.9
increased because quarantined at home and nothing else to do when everything is closed	1	.1	.1	49.0
Increased consumption probably	1	.1	.1	49.1
increased drinking	1	.1	.1	49.3
increased drug use	1	.1	.1	49.4
Increased during quarantine because of lack of things going on	1	.1	.1	49.5
Increased intake	1	.1	.1	49.7
increased it	1	.1	.1	49.8
Increased it	2	.3	.3	50.1
Increased it at the beginning. Decreased after the lockdown	1	.1	.1	50.2
Increased it-boredom	1	.1	.1	50.3
increased marijuana use; less alcohol(social drinking)	1	.1	.1	50.5
Increased maybe slightly	1	.1	.1	50.6

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Increased my alcohol intake.	1	.1	.1	50.7
Increased my use	1	.1	.1	50.9
Increased my use as it's hard to go out and have fun	1	.1	.1	51.0
Increased slightly	1	.1	.1	51.1
Increased the frequency at which I want to use	1	.1	.1	51.3
Increased use	1	.1	.1	51.4
Increased use of alcohol	1	.1	.1	51.5
increased use of marijuana	1	.1	.1	51.7
Increased use of Marijuana	1	.1	.1	51.8
Increased use of tobacco in the form of cigarettes and also increased use of weed to some extent due to lack of availability of other things to do	1	.1	.1	51.9
Initially had more to drink than usual; currently; I think I am drinking way less than my usual; some times weeks in between drinks.	1	.1	.1	52.1
Initially went up; but now it is down to before the pandemic.	1	.1	.1	52.2
It doesn't	1	.1	.1	52.3
It gave me time to drink without having to worry about it interfering with my studies at the beginning.	1	.1	.1	52.5
It had not affected my drug use.	1	.1	.1	52.6
It hadn't	1	.1	.1	52.7
It has been a challenge to my sobriety.	1	.1	.1	52.8
It has decreased due to the restaurants being closed	1	.1	.1	53.0
It has decreased it	1	.1	.1	53.1

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
It has decreased it because I never go to the restaurant or bar	1	.1	.1	53.2
It has decreased my alcohol consumption because I wasn't in social situations where I would typically drink.	1	.1	.1	53.4
It has decreased my use as I engage in less social activity.	1	.1	.1	53.5
It has gone up from the zero to never range that it was before but it's manageable. I rarely drink.	1	.1	.1	53.6
It has had no effect	1	.1	.1	53.8
it has increased it	1	.1	.1	53.9
It has increased my alcohol intake; due to boredom and being stuck at home with no entertainment.	1	.1	.1	54.0
It has increased my use tremendously.	1	.1	.1	54.2
It has increased.	1	.1	.1	54.3
It has led to more opportunities to participate in substances. Whether I did or not; the resources and opportunities were always presented to myself.	1	.1	.1	54.4
It has made me feel like taking up drinking but I haven't.	1	.1	.1	54.6
It has made no affect on my use of substances.	1	.1	.1	54.7
it has not	1	.1	.1	54.8
It has not	5	.7	.7	55.5
it has not affect it.	1	.1	.1	55.6
it has not affected	1	.1	.1	55.8
It has not affected it.	1	.1	.1	55.9



**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
It has not affected me in that way.	1	.1	.1	56.0
It has not affected my alcohol or drug use because I am a person in long term recovery. I am a tobacco smoker and I would say my smoking has increased since The pandemic.	1	.1	.1	56.2
It has not affected my consumption. However; I have red national consumption of alcohol is up.	1	.1	.1	56.3
It has not affected my intake of drugs or use of alcohol	1	.1	.1	56.4
It has not affected my use of alcohol	1	.1	.1	56.6
It has not affected my use of alcohol. I usually only drink socially.	1	.1	.1	56.7
It has not impacted it at all.	1	.1	.1	56.8
It has not impacted my substance use. I rarely took part before; and I rarely do now.	1	.1	.1	57.0
It has not really affected my use of substances	1	.1	.1	57.1
It has not.	2	.3	.3	57.4
It has not. I do not drink; smoke; or use drugs.	1	.1	.1	57.5
It has saved me money on the drinks I would otherwise be paying for in bars/restaurants.	1	.1	.1	57.6
It has significantly reduced	1	.1	.1	57.7
It has worsened my drinking habit	1	.1	.1	57.9
it hasn't	2	.3	.3	58.1
It hasn't	7	.9	.9	59.1
It hasn't affect me at all.	1	.1	.1	59.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
It hasn't affected it.	1	.1	.1	59.3
It hasn't affected me in those ways.	1	.1	.1	59.5
It hasn't affected my use. Even if I say I will do those things I don't actually do it. Those things aren't something I need.	1	.1	.1	59.6
It hasn't changed it.	1	.1	.1	59.7
It hasn't had an affect	1	.1	.1	59.9
It hasn't really changed much because I still want to be productive with my extra free time.	1	.1	.1	60.0
It hasn't really changed my drinking.	1	.1	.1	60.1
It hasn't; COVID-19 is fake and made up by the government to control population size.	1	.1	.1	60.3
It hasn't; I don't do drugs or drink normally.	1	.1	.1	60.4
It hasn't.	12	1.6	1.6	62.0
It hasn't. I've generally gotten healthier and cut back since the pandemic.	1	.1	.1	62.1
it hasn't	1	.1	.1	62.3
It hasn't	18	2.4	2.4	64.6
It hasn't affect me as I have never used alcohol; tobacco; or other drugs.	1	.1	.1	64.8
It hasn't affected it.	1	.1	.1	64.9
It hasn't affected me because I don't do drugs.	1	.1	.1	65.0
It hasn't.	3	.4	.4	65.4
It hasn't. I didn't do drugs before and still don't.	1	.1	.1	65.6
it hasn't. i hardly drink as it is.	1	.1	.1	65.7
It hasnt	1	.1	.1	65.8

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
It improved my sobriety due to limited interactions; not as much social anxieties/pressures.	1	.1	.1	66.0
It increased my usage by 20%	1	.1	.1	66.1
It made me want to use it more	1	.1	.1	66.2
It makes kids more likely to do it since there is little enjoyment from other activities; so kids resort to it to find better meaning	1	.1	.1	66.4
it really hasn't; I do not use drugs and rarely drink	1	.1	.1	66.5
It slowed down my drinking because I could not go out and hang with my friends at the bar.	1	.1	.1	66.6
It's increased my usage	1	.1	.1	66.8
It's increased.	1	.1	.1	66.9
It's definitely increased.	1	.1	.1	67.0
it's made me see less of it available	1	.1	.1	67.2
It's only to handle my depression and that's not because of Covid and prescription meds for depression made not feel like myself.	1	.1	.1	67.3
Its hasn't changed my use at all.	1	.1	.1	67.4

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Last semester it greatly increased it because all my peers wanted to do was drink and smoke pot. I am not super happy with either of those activities but drank a few times which I do not wish to do again. Thankfully I had gotten out of the situation and do not plan to be around those people again.	1	.1	.1	67.5
Last year; I was waiting for a job interview so I did not use marijuana from March through September. This was fine; I was able to cope with the pandemic without using marijuana. My alcohol use has decreased as well because of stomach issues; which is also fine. Alcoholism runs in my family so I feel guilty whenever I do drink. The guilt sometimes doesn't even "let" me finish my drink.	1	.1	.1	67.7
Less accountability and not leaving the house and increases in anxiety has made me smoke everyday. It used to be occasionally but now it's nightly to sleep	1	.1	.1	67.8
Less alcohol due to less socializing	1	.1	.1	67.9
Less alcohol; more marijuana	1	.1	.1	68.1
Less drinking	1	.1	.1	68.2

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Less occasions to drink socially; unsafe to go to bars. Has probably led to less drinking; because I go out less and drink with smaller groups of people in homes.	1	.1	.1	68.3
less personal interaction and less use	1	.1	.1	68.5
Less reasons/outings to drink	1	.1	.1	68.6
less tobacco; but I drank alcohol more frequently.	1	.1	.1	68.7
less use	1	.1	.1	68.9
Less use	1	.1	.1	69.0
Less use now	1	.1	.1	69.1
lessened it	2	.3	.3	69.4
limited to go to bar	1	.1	.1	69.5
Little impact; I don't think my alcohol or drug usage has changed.	1	.1	.1	69.7
little social drinking	1	.1	.1	69.8
lowered use	1	.1	.1	69.9
Made it easier	1	.1	.1	70.1
made me use it more	1	.1	.1	70.2
Made me want to drink more	1	.1	.1	70.3
Maybe increase at the beginning; but normal now	1	.1	.1	70.5
Minimized it	1	.1	.1	70.6
more	1	.1	.1	70.7
More drinking at home rather than bars	1	.1	.1	70.9
more during covid	1	.1	.1	71.0
My dependency increased	1	.1	.1	71.1
My use of these things has remained the same.	1	.1	.1	71.3

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
My wife and drank a bit more at the beginning of the pandemic; but eventually we started working out more instead.	1	.1	.1	71.4
n/a	6	.8	.8	72.2
N/a	4	.5	.5	72.7
N/A	15	2.0	2.0	74.7
N/A i dont drink nor do drugs	1	.1	.1	74.8
na	1	.1	.1	75.0
Na	4	.5	.5	75.5
NA	6	.8	.8	76.3
Never	2	.3	.3	76.6
Never been involved in any drug or alcohol use	1	.1	.1	76.7
never used	1	.1	.1	76.8
no	6	.8	.8	77.6
No	23	3.0	3.0	80.7
NO	2	.3	.3	80.9
no affect	1	.1	.1	81.1
No affect	3	.4	.4	81.5
No affect.	1	.1	.1	81.6
No affects because I have never drank alcohol or chewed tobacco.	1	.1	.1	81.7
no change	2	.3	.3	82.0
No change	2	.3	.3	82.3
No Change	1	.1	.1	82.4
No change.	2	.3	.3	82.6
No change. I don't drink; and I've only consumed alcohol twice in my life to experiment and see what it's like.	1	.1	.1	82.8
No correlation	1	.1	.1	82.9
no effect	2	.3	.3	83.2
No effect	4	.5	.5	83.7
No effect.	1	.1	.1	83.8

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
no impact	1	.1	.1	84.0
No impact.	1	.1	.1	84.1
No it hasn't. I do not use alcohol; tobacco; or drugs to find relief.	1	.1	.1	84.2
No major effect	1	.1	.1	84.4
No; but I hate not being able to travel	1	.1	.1	84.5
No; I never enjoyed drinking however I live with my girlfriend and she has experimented with wine over the past 12 months and drink some at least once a month.	1	.1	.1	84.6
Non	1	.1	.1	84.8
none	7	.9	.9	85.7
None	18	2.4	2.4	88.1
None; I didn't drink much before	1	.1	.1	88.2
None.	1	.1	.1	88.3
None. I rarely do any	1	.1	.1	88.5
Nope	1	.1	.1	88.6
not affected	2	.3	.3	88.9
Not affected	3	.4	.4	89.3
Not affected.	1	.1	.1	89.4
Not all because I have been be apart of these actions.	1	.1	.1	89.5
not at all	5	.7	.7	90.2
Not at all	10	1.3	1.3	91.5
Not at all; I'm in medical school lol I don't have time for shit	1	.1	.1	91.7
Not at all; since I don't drink	1	.1	.1	91.8
Not at all.	3	.4	.4	92.2
Not at all. I do not drink or use tabacco/drugs.	1	.1	.1	92.3
Not much	1	.1	.1	92.5
not much effect	1	.1	.1	92.6

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Not much socializing; not much drinking	1	.1	.1	92.7
Not much.	1	.1	.1	92.8
Not particularly - do not use any more or any less	1	.1	.1	93.0
Not really	1	.1	.1	93.1
Not really.	1	.1	.1	93.2
Nothing	1	.1	.1	93.4
Nothing because I don't take alcohol; tobacco or any other drugs	1	.1	.1	93.5
Nothing major. I always drank on occasions; only because I wanted to spend some good time with friends; but never because I felt like drinking it.	1	.1	.1	93.6
Nothing; I don't drink or do drugs.	1	.1	.1	93.8
Only drink a couple drinks at home with friends instead of more out at a bar.	1	.1	.1	93.9
Only to a slight degree. I rarely used initially and haven't seen any substantial increase or decrease in drug use (whether it be alcohol; marijuana; or hallucinogens.	1	.1	.1	94.0



**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Over the holidays and the summer; I was with my family and it was more common for us to have a drink or two socially amongst ourselves. I drank more frequently during those times; but not necessarily more during each occasion. Initially drank alone (just a glass of wine or a cocktail or two) more because I have been alone more often & it is a nice way to wind down and enjoy something I think tastes good. More recently; as people are getting vaccinated or tested often; I am starting to socialize more; so I really don't have a drink alone ever. On special occasions during the pandemic; I think I drank a little more than I would have otherwise because I felt like I needed to make the most of a celebration during a bleak year. I never used tobacco or other drugs before the pandemic and I still have not.	1	.1	.1	94.2
Over the summer I did not have much responsibility so I drank more; now that school is in session; I don't really drink at all	1	.1	.1	94.3
Parties never happen; so those things are not very prevalent now.	1	.1	.1	94.4
Probably drink less because less opportunity to socialize	1	.1	.1	94.6

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Probably drinking less because of fewer social encounters/opportunities	1	.1	.1	94.7
Probably not	1	.1	.1	94.8
Quit Nicotine	1	.1	.1	95.0
reduce frequency	1	.1	.1	95.1
Reduced tobacco usage and increased alcohol intake	1	.1	.1	95.2
Sales of tobacco and alcohol increased	1	.1	.1	95.4
Same as before	1	.1	.1	95.5
Significantly increased drinking at home	1	.1	.1	95.6
Since I am not meeting my friends and socially distancing myself from everyone; I am actually not drinking at all. Alcohol for me is just to add a little more fun when you are with your friends.	1	.1	.1	95.8
Slightly increased my alcohol consumption	1	.1	.1	95.9
Sometimes drink at home to have fun since we can't go out	1	.1	.1	96.0
sometimes encourages me to drink since I cannot go out to public places	1	.1	.1	96.2
somewhat increased	1	.1	.1	96.3
Still don't do any	1	.1	.1	96.4
the COVID increases the frequency of the use of alcohol.	1	.1	.1	96.6

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
The Covid-19 pandemic has affected my use of alcohol; tobacco; and other drugs in which I am not taking any of the aforementioned; but there are days when I think about because of how the general state of the world; as highlighted by the pandemic; is quite shitty and that humanity in it of itself does not want to care for one another. I have lost faith in humanity which has allowed me to increasingly think about drinking or using substances.	1	.1	.1	96.7
The COVID-19 Pandemic has not affected my use of alcohol; tobacco; or other drugs.	1	.1	.1	96.8
The pandemic has increased my alcohol use; especially when I moved home for a time and my parents regularly drink.	1	.1	.1	97.0
The pandemic has increased my urge to drink but I have refrained and remained sober.	1	.1	.1	97.1
The pandemic has increased my use of alcohol; tobacco; and other drugs.	1	.1	.1	97.2
There has been a large increase in my marijuana consumption.	1	.1	.1	97.4
There has been no gatherings; so I have not used these substances.	1	.1	.1	97.5

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
This whole covid thing just needs to stop; the isolation and the way we feel like animals. I honestly dont care anymore. Give us back breaks. If we could just open up all the way that would be cool. There will always be a disease or something deadly out there; yet humans have lived on with our immune system	1	.1	.1	97.6
tobacco use at highest level it's ever been alcohol eventually went down because it felt "pointless" other drugs not affected	1	.1	.1	97.7
Trying not to drink/smoke because of the isolation	1	.1	.1	97.9
Unchanged	1	.1	.1	98.0
use less	1	.1	.1	98.1
Using more	1	.1	.1	98.3
Vaping more	1	.1	.1	98.4
Very little change. Maybe a slight increase in usage.	1	.1	.1	98.5
Wanted to increase use	1	.1	.1	98.7
Way More	1	.1	.1	98.8
Well oddly enough I rarely use any of those now; but I wish I could	1	.1	.1	98.9
Went from a social booster to a "keep myself from blowing my head with a shotgun"	1	.1	.1	99.1
Yes	3	.4	.4	99.5
YES	1	.1	.1	99.6
Yes; decreased.	1	.1	.1	99.7
Yes; I am sober now.	1	.1	.1	99.9

**How has the COVID-19 pandemic affected your use of alcohol, tobacco, or other drugs?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Yes; I hardly drink or go out with anyone anymore to bars.	1	.1	.1	100.0
Total	755	100.0	100.0	

**Do you identify as a person in recovery from addiction to drugs or alcohol?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid Yes	15	2.0	2.2	2.2
No	660	87.4	96.1	98.3
I'm not sure	12	1.6	1.7	100.0
Total	687	91.0	100.0	
Missing System	68	9.0		
Total	755	100.0		

**In the past 12 months, what type of services have you engaged in to support your mental or emotional health?**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid None	469	62.1	68.3	68.3
Medication management with CAPS	2	.3	.3	68.6
Medication management with off campus provider	58	7.7	8.4	77.0
Talk therapy (individual or group) with CAPS	22	2.9	3.2	80.2
Talk therapy (individual or group) with off campus provider	56	7.4	8.2	88.4
Both medication and talk therapy – at least one with CAPS	14	1.9	2.0	90.4
Both medication and talk therapy – all with off campus providers	66	8.7	9.6	100.0
Total	687	91.0	100.0	
Missing System	68	9.0		
Total	755	100.0		

**In the past 12 months, how often have you used self-help materials (books, worksheets, apps) to support your mental or emotional health?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	391	51.8	57.2	57.2
	Once	64	8.5	9.4	66.6
	Twice	48	6.4	7.0	73.6
	3-5 times	93	12.3	13.6	87.3
	6-9 times	29	3.8	4.2	91.5
	10+ times	58	7.7	8.5	100.0
	Total	683	90.5	100.0	
Missing	System	72	9.5		
Total		755	100.0		

**In the past 12 months, how often have you listened to podcasts or other brief audio/video resources to support your mental or emotional health?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	373	49.4	54.3	54.3
	Once	51	6.8	7.4	61.7
	Twice	56	7.4	8.2	69.9
	3-5 times	93	12.3	13.5	83.4
	6-9 times	26	3.4	3.8	87.2
	10+ times	88	11.7	12.8	100.0
	Total	687	91.0	100.0	
Missing	System	68	9.0		
Total		755	100.0		

**How likely are you to get the COVID-19 vaccine, when it is available to you?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Extremely Unlikely	63	8.3	9.2	9.2
	Unlikely	34	4.5	5.0	14.2
	Undecided	96	12.7	14.0	28.2
	Likely	100	13.2	14.6	42.8
	Extremely Likely	392	51.9	57.2	100.0
	Total	685	90.7	100.0	
Missing	System	70	9.3		
Total		755	100.0		

**Do you feel that the university is following appropriate precautions to keep you safe, in regard to COVID-19?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes, I feel safe	396	52.5	57.9	57.9
	Yes, but it does feel excessive	130	17.2	19.0	76.9
	Neutral	113	15.0	16.5	93.4
	No, they could be doing more	45	6.0	6.6	100.0
	Total	684	90.6	100.0	
Missing	System	71	9.4		
Total		755	100.0		

**What platform would be best to communicate to you about the services offered at Student Health?**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	School E-mail	594	78.7	87.9	87.9
	Twitter	12	1.6	1.8	89.6
	Instagram	11	1.5	1.6	91.3
	Facebook	7	.9	1.0	92.3
	Text	44	5.8	6.5	98.8
	Other	8	1.1	1.2	100.0
	Total	676	89.5	100.0	
Missing	System	79	10.5		
Total		755	100.0		

**Other description**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid	744	98.5	98.5	98.5
Everywhere; most students are going through mental health crisis and usually we do not seek out for help. RA's ; Emails ; Posters on campus; etc....	1	.1	.1	98.7
I	1	.1	.1	98.8
I am an adult PhD student that does not go to campus	1	.1	.1	98.9
I take online classes only and live away from Indianapolis. I want the students to feel successful and comfortable. I believe that threatening emails when they do not participate is bullying them to comply. They need to have faith in our medical professionals; because it establishes the foundation for trust the our professions. I know this may not be the place for this comment; but I worry about the future health services for those who feel like they had to be forced into complying when they went to college.	1	.1	.1	99.1
I think both email and any social media	1	.1	.1	99.2
I'm not interested in these services.	1	.1	.1	99.3
MySpace	1	.1	.1	99.5
N/A online only student	1	.1	.1	99.6
Nehrhnenenrhrhdhdhsjsh dnsbd	1	.1	.1	99.7
Physical mail	1	.1	.1	99.9
TikTok	1	.1	.1	100.0
Total	755	100.0	100.0	



**gender**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	260	34.4	34.5	34.5
	Female	478	63.3	63.4	97.9
	Other	16	2.1	2.1	100.0
	Total	754	99.9	100.0	
Missing	System	1	.1		
Total		755	100.0		

**age21**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Under 21	161	21.3	21.3	21.3
	21 or older	594	78.7	78.7	100.0
	Total	755	100.0	100.0	

**Number of times student binge drank during the last two weeks - out of all students**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	538	71.3	75.2	75.2
	1	89	11.8	12.4	87.7
	2	42	5.6	5.9	93.6
	3	20	2.6	2.8	96.4
	4	10	1.3	1.4	97.8
	5	7	.9	1.0	98.7
	6	2	.3	.3	99.0
	8	3	.4	.4	99.4
	10 or more times	4	.5	.6	100.0
	Total	715	94.7	100.0	
Missing	System	40	5.3		
Total		755	100.0		