

2016 Indiana College Substance Use Survey

**INDIANA UNIVERSITY-PURDUE UNIVERSITY
INDIANAPOLIS**



**Results of the
Indiana College Substance Use Survey
2016
Indiana University – Purdue University
Indianapolis**

Indiana Prevention Resource Center
501 N. Morton St., Suite 110
Bloomington, IN 47404
www.drugs.indiana.edu

Funded by the Indiana Family and Social Services Administration,
Division of Mental Health and Addiction
through a contract with the Indiana Collegiate Action Network

TABLE OF CONTENTS

List of Tables	ii
List of Figures	iii
Introduction	1
Substance Use.....	2
Prevalence	2
Location and Type of Alcohol Use	6
Reasons for Alcohol Use	8
Age of First Time Use	9
Consequences of Alcohol Use.....	10
Risk Factors	12
Alcohol Availability	12
Perception of Peer Behaviors and Beliefs.....	16
Mental Health	19
Gambling Behavior	21
Characteristics of Survey Participants	25
Frequency Tables.....	27

LIST OF TABLES

Table 1. Response Rate, 2016.....	1
Table 2. Number of Usable Questionnaires, 2016.....	1
Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2016.....	2
Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2016.....	3
Table 5. Percentage of IUPUI Students Reporting Use of Select Substances in the Past Month, 2010 – 2016.....	3
Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2016	4
Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2016 (Range = 0-15)	5
Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2016.....	7
Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2016	8
Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2016	9
Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2016.....	10
Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2016	11
Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else’s Drinking, by Select Demographic Characteristics, 2016	11
Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2016.....	16
Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2016 (range = 0 – 30)	16
Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2016	18
Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2016	18
Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2016 (range = 0 – 30)	19
Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2016	20
Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2016.....	21
Table 21. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, 2016	24
Table 22. Demographic Characteristics of Survey Participants, 2016	25

LIST OF FIGURES

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2016.....	4
Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2016.....	5
Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2016.....	6
Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2016	12
Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, by Gender, 2016	13
Figure 6. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer Using Select Methods, 2016	14
Figure 7. Percentage of Students Under 21 Who Reported Purchasing Alcohol from Retailers, Who Have Purchased at Select Retailers, 2016	15
Figure 8. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Gender, 2016 (range = 0 – 30)	17
Figure 9. Percentage of Students Who Indicated Select Number of Days During Past Month When Their Mental Health Was Not Good, by Gender, 2016.....	20
Figure 10. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2016	22
Figure 11. Percentage of Students Who Gambled in the Past Year, Who Reported Select Locations as Their Most Frequent Gambling Location, by Gender, 2016	23

INTRODUCTION

The Indiana College Substance Use Survey was administered in Spring 2016. A total of 2,500 IUPUI students were sent an e-mail inviting them to participate in the survey. Students were given a two-week period to complete the online questionnaire. A reminder e-mail was sent midway through the survey period. 571 students responded to the survey, for a response rate of 22.8%. A description of the history and methodology of the Indiana College Substance Use Survey can be found in the *Results of the Indiana College Substance Use Survey, 2016* at <http://drugs.indiana.edu/indiana-college-survey/substance-use-survey>.

Table 1. Response Rate, 2016

Number of students invited to participate	Number of respondents	Response Rate
2,500	571	22.8%

Three criteria were used to clean the data. Surveys were discarded if any of the following conditions were met:

- insufficient response (less than 26 items answered out of a total of 148 items),
- three or more inconsistent responses among substance use items, and
- pharmacologically-implausible patterns of responses (i.e., a combination of drugs and frequencies of use whose cumulative effect would be lethal).

A total of 14 surveys were rejected due to meeting at least one of the criteria, leaving 557 usable surveys (97.5%).

Table 2. Number of Usable Questionnaires, 2016

	Frequency	Percent
Insufficient response	11	1.9
Inconsistent responses	3	.5
Implausibly high substance use responses	0	0.0
Total number of usable surveys	557	97.5
Total	571	100.0

SUBSTANCE USE

PREVALENCE

Table 3. Percentage of Students Reporting Use of Select Substances in the Past Month, by Select Demographic Characteristics, 2016

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Alcohol	59.3	62.7	56.0	60.9	45.1	74.3
Marijuana	22.7	19.6	23.0	22.7	24.2	21.2
Cigarettes	11.8	13.0	14.7	10.4	10.1	13.7
Electronic vapor products	12.1	10.4	15.9	10.2	14.7	9.3
Cigars	7.7	8.0	10.5	6.3	8.4	7.0
Smoking tobacco with hookah/water pipe	11.8	7.8	14.2	10.5	11.6	12.0
Chewing/smokeless tobacco	3.8	4.3	7.4	1.9	3.2	4.5
Prescription stimulants not prescribed to you	6.5	5.2	8.4	5.5	5.2	7.7
Prescription painkillers not prescribed to you	2.5	2.3	2.1	2.7	1.4	3.7
Prescription sedatives not prescribed to you	1.6	2.2	2.7	1.1	1.1	2.2
Hallucinogens	3.2	2.5	5.2	2.2	3.5	3.0
Cocaine	1.1	1.9	0.0	1.6	0.7	1.5
Inhalants	0.7	0.6	0.0	1.1	0.3	1.1
Heroin	0.0	0.2	0.0	0.0	0.0	0.0
Methamphetamine	0.0	0.2	0.0	0.0	0.0	0.0
Other illegal drugs	0.5	0.6	0.5	0.6	0.4	0.7

Note: Because of the small number of transgender students, their results are not displayed in the gender columns.

Table 4. Use of Electronic Vapor Products for Selected Substances, by Select Demographic Characteristics, 2016

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Nicotine	55.8	56.8	60.8	52.3	54.1	57.8
THC	30.9	29.8	38.4	25.7	30.2	31.7
Alcohol	0.0	1.7	0.0	0.0	0.0	0.0
Other	13.1	11.1	8.7	16.2	15.4	10.4

Note. Out of students who reported ever using electronic vapor products (n = 185). Because of the small number of transgender students, their results are not displayed in the gender columns.

Table 5. Percentage of IUPUI Students Reporting Use of Select Substances in the Past Month, 2010 – 2016

Substance	2010	2013	2016
Alcohol	71.6	65.5	59.3
Marijuana	9.5	11.9	22.7
Cigarettes	17.2	11.5	11.8
Cigars	8.2	6.1	7.7
Smoking tobacco with hookah or water pipe	9.5	7.4	11.8
Chewing or smokeless tobacco	2.2	1.6	3.8
Hallucinogens	0.9	0.7	3.2
Cocaine	0.6	0.5	1.1
Inhalants	0.0	0.5	0.7
Heroin	0.6	0.0	0.0
Methamphetamines	0.0	0.0	0.0
Other illegal drugs	0.6	0.2	0.5


Binge drinking was defined in the Indiana College Substance Use Survey as four or more drinks in a row for females and five or more drinks in a row for males. This gender-specific standard follows the definition established by the National Institute on Alcohol Abuse and Alcoholism.

Table 6. Percentage of Students Reporting Binge Drinking in the Past Two Weeks, by Select Demographic Characteristics, 2016

All Students		Gender		Age	
IUPUI	Indiana	Males	Females	Under 21	21 or older
29.8	35.7	27.5	31.1	21.9	38.2

Note. Binge drinking was defined as consuming 4 or more drinks in a row for females and 5 or more drinks in a row for males. Because of the small number of transgender students, their results are not displayed in the gender columns.

Figure 1. Percentage of Students Who Binge Drank Select Number of Times in the Past Two Weeks, By Gender, 2016.




Note: Because of the small number of transgender students, their results are not displayed.

Table 7. Mean Number of Drinks Respondents Typically Consume When They Drink Alcohol, by Select Demographic Characteristics, 2016 (Range = 0-15)

	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Mean	3.6	3.8	4.0	3.4	4.0	3.2
Standard Deviation	2.6	2.8	3.1	2.3	2.8	2.3

Note. Out of students who reported ever drinking alcohol (n = 435). Because of the small number of transgender students, their results are not displayed in the gender columns.


Figure 2. Percentage of Students Who Typically Consume Select Number of Drinks on Occasions When They Drink Alcohol, by Gender, 2016



Note. Out of students who reported ever drinking alcohol (n = 435). Because of the small number of transgender students, their results are not displayed.

LOCATION AND TYPE OF ALCOHOL USE

Figure 3. Percentage of Students Who Reported Drinking Alcohol at Select Locations in the Past Year, by Age, 2016



Note. Out of students who reported ever drinking alcohol (n = 435). Responses of drinking alcohol at select location “sometimes,” “often,” or “always” are included.

Table 8. Percentage of Students Who Consumed Select Type of Alcohol in the Past Year, by Select Demographic Characteristics, 2016

Type	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Liquor	63.2	62.6	64.2	62.5	59.6	66.4
Beer	47.3	49.0	64.7	38.8	38.9	54.8
Wine	47.8	46.1	35.3	54.2	36.1	58.0
Malt beverages ²	35.9	32.1	20.1	43.8	37.4	34.7
High alcohol drinks	12.8	12.0	12.6	13.0	14.6	11.3
Other	11.1	10.0	12.2	10.5	9.8	12.2

Note. Out of students who reported ever drinking alcohol (n = 435). Responses of drinking select type alcohol “sometimes”, “often”, or “always” are included. Because of the small number of transgender students, their results are not displayed in the gender columns.

REASONS FOR ALCOHOL USE

Table 9. Percentage of Students Who Indicated Select Reasons for Drinking Alcohol in the Past Year, by Select Demographic Characteristics, 2016

Reason	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
To have a good time with friends	83.6	83.7	81.8	84.5	81.0	85.9
To relax	59.1	56.5	51.8	62.6	51.8	65.6
To experiment	27.5	23.3	27.2	27.7	35.9	20.0
Because of boredom	17.9	17.5	22.8	15.5	19.6	16.4
To get away from my problems	15.5	13.7	11.7	17.4	18.6	12.7
Because of anger/frustration	12.5	11.7	10.2	13.7	10.8	14.1
To get through the day	5.6	4.3	6.6	5.1	5.7	5.5
Because I'm hooked	1.5	1.7	2.2	1.1	1.6	1.4

Note: Out of students who reported ever drinking alcohol (n = 435). Because of the small number of transgender students, their results are not displayed in the gender columns.

AGE OF FIRST TIME USE

Table 10. Percentage of Students Who Initiated Use of Substance After Starting College, 2016

Substance	All Students	
	IUPUI	Indiana
Alcohol	31.5	32.7
Marijuana	25.0	30.6
Cigarettes	24.0	30.5
Electronic vapor products	45.5	48.6
Cigars	22.3	28.5
Smoking tobacco with hookah	38.5	37.8
Chewing/smokeless tobacco	22.1	25.3
Prescription stimulants	44.9	56.9
Prescription painkillers	26.7	35.6
Prescription sedatives	23.7	49.0
Hallucinogens	46.0	54.3
Cocaine	56.7	65.4
Inhalants	36.8	39.2
Other illegal drugs	30.0	40.7

Note. Out of students who reported ever having used that substance. Only substances where ten or more students indicated use are included.

CONSEQUENCES OF ALCOHOL USE

Table 11. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Drinking Alcohol, by Select Demographic Characteristics, 2016

Consequences	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Had a hangover	62.1	57.1	60.9	62.9	57.0	66.5
Forgot where you were or what you did (blacked out)	24.3	26.9	23.9	24.5	23.1	25.3
Felt bad or guilty about your drinking	24.8	25.4	26.1	24.3	21.5	27.7
Did something you later regretted	24.0	25.2	23.2	24.5	25.1	23.1
Engaged in unprotected sexual intercourse (i.e., without a condom)	18.1	17.4	13.8	20.3	17.4	18.6
Missed class or an assignment	13.8	14.4	17.4	12.0	13.0	14.5
Driven a car while under the influence	12.5	11.5	13.9	11.6	9.2	15.5
Been hurt or injured because of drinking	9.6	11.0	10.1	9.4	11.3	8.2
Created problems between you and your friends or family members	8.9	10.9	8.0	9.4	6.2	11.3
Had friends or family members worry or complain about your drinking	10.1	10.2	8.7	10.8	6.2	13.6
Been in trouble with police, residence hall, or other college authorities	1.4	4.2	2.2	1.1	1.0	1.8
Gotten into physical fights when drinking	4.6	4.0	8.0	2.9	3.1	5.9
Gotten into trouble at work or college because of drinking	1.5	3.3	2.2	1.1	1.0	1.8
Been ticketed	1.0	2.5	0.7	1.1	2.1	0.0
Been arrested for drunk driving	0.5	0.6	0.7	0.4	0.5	0.5

Note. Out of students who reported ever drinking alcohol (n = 435). Because of the small number of transgender students, their results are not displayed in the gender columns.

Table 12. Percentage of Students Who Reported Select Sexual Acts in the Past Year While Under the Influence of Alcohol, by Select Demographic Characteristics, 2016

	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Experienced unwanted sexual activity	6.8	6.8	2.9	8.7	6.7	6.8
Took advantage of someone sexually	0.2	0.7	0.7	0.0	0.5	0.0

Note. Out of students who reported ever drinking alcohol (n = 435). Because of the small number of transgender students, their results are not displayed in the gender columns.

Table 13. Percentage of Students Who Reported Experiencing Select Consequences in the Past Year as a Result of Someone Else’s Drinking, by Select Demographic Characteristics, 2016


Consequence	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Had to take care of another student who drank too much	40.6	46.6	41.5	40.2	43.1	37.9
Had your studying or sleep interrupted	24.8	32.4	23.4	25.6	24.7	24.9
Had to act as a designated driver for another student because he or she drank	31.4	33.0	31.4	31.4	28.7	34.1
Found vomit in the halls or other areas of your residence	14.2	22.1	19.3	11.6	15.2	13.0
Had your belongings or property damaged	11.3	13.3	14.2	9.9	12.6	10.0

Note: Because of the small number of transgender students, their results are not displayed in the gender columns.

RISK FACTORS


ALCOHOL AVAILABILITY

Figure 4. Percentage of Students Under 21 Who Obtained Alcohol from Select Sources, 2016




Note. Out of students under 21 who reported ever drinking alcohol (n = 204). Responses of obtaining alcohol from select source “sometimes,” “often,” or “always” are included.

Figure 5. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer in the Past Year, by Gender, 2016



Note. Out of students under 21 who reported ever drinking alcohol (n = 204). Because of the small number of transgender students, their results are not displayed.

Figure 6. Percentage of Students Under 21 Who Reported Purchasing Alcohol from a Retailer Using Select Methods, 2016



Note: Out of students under 21 who have purchased alcohol from a retailer in the past year (n = 15).

Figure 7. Percentage of Students Under 21 Who Reported Purchasing Alcohol from Retailers, Who Have Purchased at Select Retailers, 2016



Note: Out of students under 21 who have purchased alcohol from a retailer in the past year (n = 15).

PERCEPTION OF PEER BEHAVIORS AND BELIEFS

Students were asked to estimate the percentage of students at their school who drank alcohol in the past month.

Table 14. Perceived Percentage of Students at Your School Who Use Alcohol, by Select Demographic Characteristics of Respondent, 2016

Perceived percent who use alcohol	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
0%	1.7	1.5	1.7	1.7	1.9	1.6
5% - 25%	11.8	14.5	13.1	10.9	16.0	7.4
30% - 50%	34.4	26.7	37.1	33.1	44.8	23.6
55% - 75%	37.1	39.2	37.1	37.1	27.6	46.9
80% - 100%	15.0	18.1	10.9	17.1	9.7	20.5

Note: Because of the small number of transgender students, their results are not displayed in the gender columns.


Students were also asked how many alcoholic drinks they thought the typical student at their school consumed the last time he or she partied/socialized. Students could provide any figure between 0 – 30.

Table 15. Mean Number of Drinks Respondents Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Select Demographic Characteristics, 2016 (range = 0 – 30)

	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Mean	4.2	4.4	4.3	4.2	4.1	4.4
Standard Deviation	2.2	2.5	2.4	2.1	2.2	2.2

Note: Because of the small number of transgender students, their results are not displayed in the gender columns.

Figure 8. Percentage of Students Who Indicated Select Number of Drinks They Think the Typical Student Consumed the Last Time He/She “Partied/Socialized”, by Gender, 2016 (range = 0 – 30)



Note: Because of the small number of transgender students, their results are not displayed.

Table 16. Percentage of Students Who Thought Their Close Friends Would Disapprove of Their Use of Select Substances, by Select Demographic Characteristics, 2016

Substance	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Having five or more alcoholic drinks in one sitting	45.9	44.0	39.2	49.4	48.5	43.3
Using marijuana	52.0	55.4	50.9	52.4	53.6	50.4
Using prescription medication not prescribed to you	85.8	82.0	79.5	88.9	85.8	85.8

Note: Responses of “Strongly Disapprove” or “Somewhat Disapprove” are included. Because of the small number of transgender students, their results are not displayed in the gender columns.

Table 17. Percentage of Students Under 21 Who Think an Underage Student Who Drinks Alcohol at Select Locations Would Be Ticketed, by Select Demographic Characteristics of Respondent, 2016

Location	All Students		Gender	
	IUPUI	Indiana	Males	Females
On-campus housing	59.2	54.8	47.0	64.7
Off-campus housing	23.8	22.1	17.1	26.8
On-campus party	65.8	55.6	58.5	69.0
Off-campus party	32.8	28.0	32.1	33.2
Athletic event	55.1	56.6	43.9	60.1
Other places in the community	49.6	44.2	53.7	47.8

Note: Responses of “Very Likely” or “Somewhat Likely” are included. (n = 286). Because of the small number of transgender students, their results are not displayed in the gender columns.

MENTAL HEALTH


The Indiana College Substance Use Survey asked three questions to assess students' mental health status. Students were asked on how many days in the past month their mental health was not good, including experiencing stress, depression, or problems with emotions. They were also asked if, in the past year, they had experienced feeling so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities, and if they had ever seriously considered attempting suicide.

Table 18. Mean Number of Mentally Unhealthy Days During the Past Month, by Select Demographic Characteristics, 2016 (range = 0 – 30)

	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Mean	8.1	6.9	5.7	9.3	7.8	8.3
Standard Deviation	13.5	11.7	10.2	14.8	13.0	14.1

Note. Survey question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?" Because of the small number of transgender students, their results are not displayed in the gender columns.

Figure 9. Percentage of Students Who Indicated Select Number of Days During Past Month When Their Mental Health Was Not Good, by Gender, 2016



Note. Survey question: “Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?” Because of the small number of transgender students, their results are not displayed.

Table 19. Percentage of Students Who Reported Feeling Sadness or Suicidal Ideation in the Past Year, by Select Demographic Characteristics, 2016

	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Felt sad or hopeless	23.7	21.2	17.4	26.7	24.9	22.6
Considered attempting suicide	9.6	7.1	5.8	11.3	9.9	9.4

Note: Sadness survey question: “During the past 12 months did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?” Because of the small number of transgender students, their results are not displayed in the gender columns.

GAMBLING BEHAVIOR

Table 20. Percentage of Students Who Reported Gambling Behaviors in the Past Year, by Select Demographic Characteristics, 2016

Gambling Behavior	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Lottery	28.5	32.9	34.7	25.4	30.3	26.6
Personal challenges/dares	9.8	12.6	14.0	7.8	13.3	6.3
Card games	8.5	11.3	20.2	2.6	7.6	9.4
Sports	6.2	11.0	15.0	1.7	4.9	7.4
At a casino	8.7	10.1	12.9	6.4	1.5	16.1
Personal games of skill	8.3	9.0	18.0	3.5	5.7	10.9
Bingo	3.7	4.3	3.5	3.8	1.9	5.4
Online gambling	1.2	1.4	2.9	0.3	0.4	1.9
At informal locations	0.6	0.7	1.2	0.3	0.4	0.8
Bet/gambled in other ways	4.0	3.8	7.5	2.3	5.7	2.3

Note: Because of the small number of transgender students, their results are not displayed in the gender columns.

Figure 10. Percentage of Students Who Reported Weekly or More Frequent Gambling in the Past Year, by Gambling Category, 2016





Figure 11. Percentage of Students Who Gambled in the Past Year, Who Reported Select Locations as Their Most Frequent Gambling Location, by Gender, 2016



Note. Does not include students who only gambled online or playing the lottery (n = 118). Because of the small number of transgender students, their results are not displayed.

Table 21. Percentage of Students Who Gambled in the Past Year, Who Reported Select Consequences as a Result of Their Gambling, 2016

Consequence	All Students		Gender		Age	
	IUPUI	Indiana	Males	Females	Under 21	21 or older
Lost possessions or money	16.4	15.4	24.5	10.4	13.5	19.3
Felt bad about gambling	5.5	5.2	9.6	2.4	2.7	8.3
Issues with friends and family	2.3	1.6	3.2	1.6	1.8	2.8
Academic problems	1.8	1.3	2.1	1.6	0.0	3.7
Poor health	1.4	1.1	2.1	0.8	0.0	2.8
Issues with legal system	0.5	0.6	1.1	0.0	0.0	0.9

Note: n = 225. Because of the small number of transgender students, their results are not displayed in the gender columns.

CHARACTERISTICS OF SURVEY PARTICIPANTS

Table 22. Demographic Characteristics of Survey Participants, 2016

	Frequency	%
Gender		
Male	191	34.3
Female	365	65.5
Transgender	1	0.2
Age		
Under 21	286	51.3
21 or older	271	48.7
Race		
White	423	75.9
Black/African American	54	9.7
Asian	22	3.9
Native American/Alaskan Native	3	0.5
Hawaiian/Pacific Islander	2	0.4
More than one race	22	3.9
Other	28	5.0
No answer	3	0.5
Ethnicity		
Hispanic	56	10.1
Non-Hispanic	500	89.8
No answer	1	0.2

Table 22 continued.

Classification		
1st year undergraduate	165	29.6
2nd year undergraduate	115	20.6
3rd year undergraduate	125	22.4
4th year undergraduate	105	18.9
5th year or more undergraduate	41	7.4
Grad/professional	2	0.4
Not seeking degree	0	0.0
Other	0	0.0
No answer	4	0.7
Student status		
Full-time	547	98.2
Part-time	8	1.4
No answer	2	0.4
Location of residence		
Fraternity/sorority house	0	0.0
Campus residence hall	72	12.9
Other on-campus housing	52	9.3
Off-campus	431	77.4
No answer	2	0.4
Greek affiliation		
Yes	61	11.0
No	494	88.7
No answer	2	0.4

Frequencies

Age

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	18	64	11.5	11.5	11.5
	19	124	22.3	22.3	33.8
	20	98	17.6	17.6	51.3
	21	107	19.2	19.2	70.6
	22	98	17.6	17.6	88.2
	23	39	7.0	7.0	95.2
	24	21	3.8	3.8	98.9
	25	6	1.1	1.1	100.0
	Total	557	100.0	100.0	

Ethnicity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Hispanic	56	10.1	10.1	10.1
	Non-Hispanic	500	89.8	89.9	100.0
	Total	556	99.8	100.0	
Missing	System	1	.2		
Total		557	100.0		

Race

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	White	423	75.9	76.4	76.4
	Black/African-American	54	9.7	9.7	86.1
	Asian	22	3.9	4.0	90.1
	Native American/Alaskan Native	3	.5	.5	90.6
	Hawaiian/Pacific Islander	2	.4	.4	91.0
	More than one race	22	3.9	4.0	94.9
	Other	28	5.0	5.1	100.0
	Total	554	99.5	100.0	
Missing	System	3	.5		
Total		557	100.0		

Gender

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Male	191	34.3	34.3	34.3
	Female	365	65.5	65.5	99.8
	Transgender	1	.2	.2	100.0
	Total	557	100.0	100.0	

Sexual orientation

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Heterosexual or straight	498	89.4	90.1	90.1
	Homosexual, gay, lesbian, queer	17	3.1	3.1	93.1
	Bisexual	16	2.9	2.9	96.0
	Other	13	2.3	2.4	98.4
	Don't Know/Not Sure/Questioning	9	1.6	1.6	100.0
	Total	553	99.3	100.0	
Missing	System	4	.7		
Total		557	100.0		

Student status

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Full-time	547	98.2	98.6	98.6
	Part-time	8	1.4	1.4	100.0
	Total	555	99.6	100.0	
Missing	System	2	.4		
Total		557	100.0		

Year in school

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1st year undergraduate	165	29.6	29.8	29.8
	2nd year undergraduate	115	20.6	20.8	50.6
	3rd year undergraduate	125	22.4	22.6	73.2
	4th year undergraduate	105	18.9	19.0	92.2
	5th year or more undergraduate	41	7.4	7.4	99.6
	Graduate or professional student	2	.4	.4	100.0
	Total	553	99.3	100.0	
Missing	System	4	.7		
Total		557	100.0		

Location of residence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Campus residence hall	72	12.9	13.0	13.0
	Other on-campus housing	52	9.3	9.4	22.3
	Off campus	431	77.4	77.7	100.0
	Total	555	99.6	100.0	
Missing	System	2	.4		
Total		557	100.0		

Member of fraternity/sorority

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	61	11.0	11.0	11.0
	No	494	88.7	89.0	100.0
	Total	555	99.6	100.0	
Missing	System	2	.4		
Total		557	100.0		

Served on active duty

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.9	.9	.9
	No	552	99.1	99.1	100.0
	Total	557	100.0	100.0	

Number of times in the past month substance was used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	387	69.5	69.5	69.5
	Have used but not in past 30 days	104	18.7	18.7	88.2
	1-2 occasions	24	4.3	4.3	92.5
	3-5 occasions	13	2.3	2.3	94.8
	6-9 occasions	1	.2	.2	95.0
	10-19 occasions	5	.9	.9	95.9
	20-39 occasions	3	.5	.5	96.4
	40 or more occasions	20	3.6	3.6	100.0
	Total	557	100.0	100.0	

Number of times in the past month substance was used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	392	70.4	70.6	70.6
	Have used but not in past 30 days	120	21.5	21.6	92.3
	1-2 occasions	32	5.7	5.8	98.0
	3-5 occasions	5	.9	.9	98.9
	6-9 occasions	2	.4	.4	99.3
	20-39 occasions	2	.4	.4	99.6
	40 or more occasions	2	.4	.4	100.0
	Total	555	99.6	100.0	
Missing	System	2	.4		
Total		557	100.0		

Number of times in the past month substance was used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	478	85.8	86.9	86.9
	Have used but not in past 30 days	51	9.2	9.3	96.2
	1-2 occasions	7	1.3	1.3	97.5
	3-5 occasions	2	.4	.4	97.8
	6-9 occasions	2	.4	.4	98.2
	10-19 occasions	1	.2	.2	98.4
	20-39 occasions	4	.7	.7	99.1
	40 or more occasions	5	.9	.9	100.0
Total		550	98.7	100.0	
Missing	System	7	1.3		
Total		557	100.0		

Number of times in the past month substance was used: Smoking tobacco with hookah/water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	321	57.6	58.2	58.2
	Have used but not in past 30 days	166	29.8	30.1	88.2
	1-2 occasions	36	6.5	6.5	94.7
	3-5 occasions	15	2.7	2.7	97.5
	6-9 occasions	4	.7	.7	98.2
	10-19 occasions	4	.7	.7	98.9
	20-39 occasions	3	.5	.5	99.5
	40 or more occasions	3	.5	.5	100.0
	Total	552	99.1	100.0	
Missing	System	5	.9		
Total		557	100.0		

Number of times in the past month substance was used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	369	66.2	66.6	66.6
	Have used but not in past 30 days	118	21.2	21.3	87.9
	1-2 occasions	34	6.1	6.1	94.0
	3-5 occasions	12	2.2	2.2	96.2
	6-9 occasions	6	1.1	1.1	97.3
	10-19 occasions	4	.7	.7	98.0
	20-39 occasions	1	.2	.2	98.2
	40 or more occasions	10	1.8	1.8	100.0
	Total	554	99.5	100.0	
Missing	System	3	.5		
Total		557	100.0		

Number of times in the past month substance was used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	118	21.2	21.3	21.3
	Have used but not in past 30 days	107	19.2	19.3	40.7
	1-2 occasions	95	17.1	17.2	57.9
	3-5 occasions	71	12.7	12.8	70.7
	6-9 occasions	62	11.1	11.2	81.9
	10-19 occasions	45	8.1	8.1	90.1
	20-39 occasions	22	3.9	4.0	94.0
	40 or more occasions	33	5.9	6.0	100.0
	Total	553	99.3	100.0	
Missing	System	4	.7		
Total		557	100.0		

Number of times in the past month substance was used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	311	55.8	56.1	56.1
	Have used but not in past 30 days	117	21.0	21.1	77.3
	1-2 occasions	32	5.7	5.8	83.0
	3-5 occasions	19	3.4	3.4	86.5
	6-9 occasions	9	1.6	1.6	88.1
	10-19 occasions	18	3.2	3.2	91.3
	20-39 occasions	13	2.3	2.3	93.7
	40 or more occasions	35	6.3	6.3	100.0
	Total	554	99.5	100.0	
Missing	System	3	.5		
Total		557	100.0		

Number of times in the past month substance was used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	521	93.5	93.9	93.9
	Have used but not in past 30 days	28	5.0	5.0	98.9
	1-2 occasions	2	.4	.4	99.3
	3-5 occasions	1	.2	.2	99.5
	6-9 occasions	2	.4	.4	99.8
	20-39 occasions	1	.2	.2	100.0
	Total	555	99.6	100.0	
Missing	System	2	.4		
Total		557	100.0		

Number of times in the past month substance was used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	500	89.8	89.9	89.9
	Have used but not in past 30 days	38	6.8	6.8	96.8
	1-2 occasions	12	2.2	2.2	98.9
	3-5 occasions	4	.7	.7	99.6
	10-19 occasions	2	.4	.4	100.0
	Total	556	99.8	100.0	
Missing	System	1	.2		
Total		557	100.0		

Number of times in the past month substance was used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	545	97.8	98.4	98.4
	Have used but not in past 30 days	9	1.6	1.6	100.0
	Total	554	99.5	100.0	
Missing	System	3	.5		
Total		557	100.0		

Number of times in the past month substance was used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	548	98.4	98.7	98.7
	Have used but not in past 30 days	7	1.3	1.3	100.0
	Total	555	99.6	100.0	
Missing	System	2	.4		
Total		557	100.0		

Number of times in the past month substance was used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	533	95.7	96.2	96.2
	Have used but not in past 30 days	17	3.1	3.1	99.3
	1-2 occasions	2	.4	.4	99.6
	10-19 occasions	2	.4	.4	100.0
	Total	554	99.5	100.0	
Missing	System	3	.5		
Total		557	100.0		

Number of times in the past month substance was used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	474	85.1	85.1	85.1
	Have used but not in past 30 days	47	8.4	8.4	93.5
	1-2 occasions	14	2.5	2.5	96.1
	3-5 occasions	10	1.8	1.8	97.8
	6-9 occasions	3	.5	.5	98.4
	10-19 occasions	3	.5	.5	98.9
	20-39 occasions	2	.4	.4	99.3
	40 or more occasions	4	.7	.7	100.0
	Total	557	100.0	100.0	

**Number of times in the past month substance was used: Prescription
painkillers not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	508	91.2	91.4	91.4
	Have used but not in past 30 days	34	6.1	6.1	97.5
	1-2 occasions	9	1.6	1.6	99.1
	3-5 occasions	1	.2	.2	99.3
	10-19 occasions	1	.2	.2	99.5
	20-39 occasions	1	.2	.2	99.6
	40 or more occasions	2	.4	.4	100.0
	Total	556	99.8	100.0	
Missing	System	1	.2		
Total		557	100.0		

**Number of times in the past month substance was used: Prescription
sedatives not prescribed to you**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	512	91.9	92.6	92.6
	Have used but not in past 30 days	32	5.7	5.8	98.4
	1-2 occasions	7	1.3	1.3	99.6
	10-19 occasions	1	.2	.2	99.8
	40 or more occasions	1	.2	.2	100.0
	Total	553	99.3	100.0	
Missing	System	4	.7		
Total		557	100.0		

Number of times in the past month substance was used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never used in lifetime	526	94.4	95.1	95.1
	Have used but not in past 30 days	24	4.3	4.3	99.5
	1-2 occasions	3	.5	.5	100.0
	Total	553	99.3	100.0	
Missing	System	4	.7		
Total		557	100.0		

Used electronic vapor product for nicotine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	101	18.1	55.8	55.8
	No	80	14.4	44.2	100.0
	Total	181	32.5	100.0	
Missing	System	376	67.5		
Total		557	100.0		

Used electronic vapor product for THC

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	55	9.9	30.9	30.9
	No	123	22.1	69.1	100.0
	Total	178	32.0	100.0	
Missing	System	379	68.0		
Total		557	100.0		

Used electronic vapor product for alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	173	31.1	100.0	100.0
Missing	System	384	68.9		
Total		557	100.0		

Used electronic vapor product for other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	22	3.9	13.1	13.1
	No	146	26.2	86.9	100.0
	Total	168	30.2	100.0	
Missing	System	389	69.8		
Total		557	100.0		

Age when first used: Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	127	22.8	76.0	76.0
	After starting college	40	7.2	24.0	100.0
	Total	167	30.0	100.0	
Missing	System	390	70.0		
Total		557	100.0		

Age when first used: Cigars

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	122	21.9	77.7	77.7
	After starting college	35	6.3	22.3	100.0
	Total	157	28.2	100.0	
Missing	System	400	71.8		
Total		557	100.0		

Age when first used: Chewing or smokeless tobacco

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	53	9.5	77.9	77.9
	After starting college	15	2.7	22.1	100.0
	Total	68	12.2	100.0	
Missing	System	489	87.8		
Total		557	100.0		

Age when first used: Smoking tobacco with hookah or water pipe

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	139	25.0	61.5	61.5
	After starting college	87	15.6	38.5	100.0
	Total	226	40.6	100.0	
Missing	System	331	59.4		
Total		557	100.0		

Age when first used: E-Cigarettes

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	96	17.2	54.5	54.5
	After starting college	80	14.4	45.5	100.0
	Total	176	31.6	100.0	
Missing	System	381	68.4		
Total		557	100.0		

Age when first used: Alcohol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	298	53.5	68.5	68.5
	After starting college	137	24.6	31.5	100.0
	Total	435	78.1	100.0	
Missing	System	122	21.9		
Total		557	100.0		

Age when first used: Marijuana

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	180	32.3	75.0	75.0
	After starting college	60	10.8	25.0	100.0
	Total	240	43.1	100.0	
Missing	System	317	56.9		
Total		557	100.0		

Age when first used: Cocaine/Crack

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	13	2.3	43.3	43.3
	After starting college	17	3.1	56.7	100.0
	Total	30	5.4	100.0	
Missing	System	527	94.6		
Total		557	100.0		

Age when first used: Hallucinogens/Ecstasy

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	27	4.8	54.0	54.0
	After starting college	23	4.1	46.0	100.0
	Total	50	9.0	100.0	
Missing	System	507	91.0		
Total		557	100.0		

Age when first used: Heroin

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	3	.5	60.0	60.0
	After starting college	2	.4	40.0	100.0
	Total	5	.9	100.0	
Missing	System	552	99.1		
Total		557	100.0		

Age when first used: Methamphetamine

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	2	.4	50.0	50.0
	After starting college	2	.4	50.0	100.0
	Total	4	.7	100.0	
Missing	System	553	99.3		
Total		557	100.0		

Age when first used: Inhalants

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	12	2.2	63.2	63.2
	After starting college	7	1.3	36.8	100.0
	Total	19	3.4	100.0	
Missing	System	538	96.6		
Total		557	100.0		

Age when first used: Prescription stimulants not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	43	7.7	55.1	55.1
	After starting college	35	6.3	44.9	100.0
	Total	78	14.0	100.0	
Missing	System	479	86.0		
Total		557	100.0		

Age when first used: Prescription painkillers not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	33	5.9	73.3	73.3
	After starting college	12	2.2	26.7	100.0
	Total	45	8.1	100.0	
Missing	System	512	91.9		
Total		557	100.0		

Age when first used: Prescription sedatives not prescribed to you

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	29	5.2	76.3	76.3
	After starting college	9	1.6	23.7	100.0
	Total	38	6.8	100.0	
Missing	System	519	93.2		
Total		557	100.0		

Age when first used: Other illegal drugs

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Before starting college	14	2.5	70.0	70.0
	After starting college	6	1.1	30.0	100.0
	Total	20	3.6	100.0	
Missing	System	537	96.4		
Total		557	100.0		

Number of times student binge drank during the last two weeks - out of students who drank alcohol in past month

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	154	27.6	48.9	48.9
	1	66	11.8	21.0	69.8
	2	46	8.3	14.6	84.4
	3	15	2.7	4.8	89.2
	4	18	3.2	5.7	94.9
	5	6	1.1	1.9	96.8
	6	4	.7	1.3	98.1
	7	1	.2	.3	98.4
	9	1	.2	.3	98.7
	10 or more times	4	.7	1.3	100.0
	Total	315	56.6	100.0	
Missing	System	242	43.4		
Total		557	100.0		

Number of times student binge drank during the last two weeks - out of all students

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	379	68.0	70.2	70.2
	1	66	11.8	12.2	82.4
	2	46	8.3	8.5	90.9
	3	15	2.7	2.8	93.7
	4	18	3.2	3.3	97.0
	5	6	1.1	1.1	98.1
	6	4	.7	.7	98.9
	7	1	.2	.2	99.1
	9	1	.2	.2	99.3
	10 or more times	4	.7	.7	100.0
	Total	540	96.9	100.0	
	Missing	System	17	3.1	
Total		557	100.0		

How many drinks do you typically have?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	82	14.7	20.2	20.2
	2	88	15.8	21.7	42.0
	3	84	15.1	20.7	62.7
	4	43	7.7	10.6	73.3
	5	29	5.2	7.2	80.5
	6	28	5.0	6.9	87.4
	7	15	2.7	3.7	91.1
	8	16	2.9	4.0	95.1
	9	4	.7	1.0	96.0
	10	9	1.6	2.2	98.3
	12	3	.5	.7	99.0
	15 or more drinks	4	.7	1.0	100.0
	Total	405	72.7	100.0	
	Missing	System	152	27.3	
Total		557	100.0		

In the past year, how often did you drink alcohol: Residence hall

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	372	66.8	89.0	89.0
	Rarely	25	4.5	6.0	95.0
	Sometimes	13	2.3	3.1	98.1
	Often	7	1.3	1.7	99.8
	Always	1	.2	.2	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

**In the past year, how often did you drink alcohol:
Fraternity/sorority**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	351	63.0	84.4	84.4
	Rarely	24	4.3	5.8	90.1
	Sometimes	26	4.7	6.3	96.4
	Often	9	1.6	2.2	98.6
	Always	6	1.1	1.4	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

In the past year, how often did you drink alcohol: Other on-campus location

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	358	64.3	86.1	86.1
	Rarely	19	3.4	4.6	90.6
	Sometimes	22	3.9	5.3	95.9
	Often	11	2.0	2.6	98.6
	Always	6	1.1	1.4	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

In the past year, how often did you drink alcohol: Off-campus house or apartment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	56	10.1	13.4	13.4
	Rarely	81	14.5	19.4	32.9
	Sometimes	114	20.5	27.3	60.2
	Often	105	18.9	25.2	85.4
	Always	61	11.0	14.6	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

In the past year, how often did you drink alcohol: Bar/restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	202	36.3	48.6	48.6
	Rarely	45	8.1	10.8	59.4
	Sometimes	67	12.0	16.1	75.5
	Often	79	14.2	19.0	94.5
	Always	23	4.1	5.5	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

**In the past year, how often did you drink alcohol:
Sporting/athletic event**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	321	57.6	77.2	77.2
	Rarely	40	7.2	9.6	86.8
	Sometimes	35	6.3	8.4	95.2
	Often	16	2.9	3.8	99.0
	Always	4	.7	1.0	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

In the past year, how often did you drink alcohol: In a car

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	375	67.3	90.1	90.1
	Rarely	28	5.0	6.7	96.9
	Sometimes	12	2.2	2.9	99.8
	Often	1	.2	.2	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

In the past year, how often did you drink alcohol: Other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	320	57.5	80.2	80.2
	Rarely	37	6.6	9.3	89.5
	Sometimes	31	5.6	7.8	97.2
	Often	9	1.6	2.3	99.5
	Always	2	.4	.5	100.0
	Total	399	71.6	100.0	
Missing	System	158	28.4		
Total		557	100.0		

Reasons for drinking in the past year: To experiment

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	114	20.5	27.3	27.3
	No	293	52.6	70.1	97.4
	Unsure	11	2.0	2.6	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Reasons for drinking in the past year: Because I am hooked

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	6	1.1	1.4	1.4
	No	400	71.8	96.4	97.8
	Unsure	9	1.6	2.2	100.0
	Total	415	74.5	100.0	
Missing	System	142	25.5		
Total		557	100.0		

Reasons for drinking in the past year: To relax or relieve tension

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	246	44.2	58.7	58.7
	No	168	30.2	40.1	98.8
	Unsure	5	.9	1.2	100.0
	Total	419	75.2	100.0	
Missing	System	138	24.8		
Total		557	100.0		

Reasons for drinking in the past year: To have a good time with friends

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	347	62.3	83.0	83.0
	No	67	12.0	16.0	99.0
	Unsure	4	.7	1.0	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Reasons for drinking in the past year: Because of boredom

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	74	13.3	17.7	17.7
	No	329	59.1	78.9	96.6
	Unsure	14	2.5	3.4	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Reasons for drinking in the past year: Because of anger or frustration

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	52	9.3	12.4	12.4
	No	361	64.8	86.4	98.8
	Unsure	5	.9	1.2	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Reasons for drinking in the past year: To get through the day

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	23	4.1	5.5	5.5
	No	389	69.8	93.3	98.8
	Unsure	5	.9	1.2	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Reasons for drinking in the past year: To get away from my problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	64	11.5	15.3	15.3
	No	343	61.6	82.3	97.6
	Unsure	10	1.8	2.4	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Consequences of alcohol use in the past year: Friends or family members worried or complained about your drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	377	67.7	90.0	90.0
	Once	24	4.3	5.7	95.7
	Twice	6	1.1	1.4	97.1
	3-5 times	7	1.3	1.7	98.8
	6-9 times	1	.2	.2	99.0
	10+ times	4	.7	1.0	100.0
	Total	419	75.2	100.0	
Missing	System	138	24.8		
Total		557	100.0		

Consequences of alcohol use in the past year: Had a hangover

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	160	28.7	38.4	38.4
	Once	92	16.5	22.1	60.4
	Twice	58	10.4	13.9	74.3
	3-5 times	56	10.1	13.4	87.8
	6-9 times	28	5.0	6.7	94.5
	10+ times	23	4.1	5.5	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Consequences of alcohol use in the past year: Felt bad/guilty about your drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	315	56.6	75.4	75.4
	Once	51	9.2	12.2	87.6
	Twice	23	4.1	5.5	93.1
	3-5 times	20	3.6	4.8	97.8
	6-9 times	3	.5	.7	98.6
	10+ times	6	1.1	1.4	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Created problems between you and your friends or family members

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	381	68.4	91.1	91.1
	Once	25	4.5	6.0	97.1
	Twice	8	1.4	1.9	99.0
	3-5 times	3	.5	.7	99.8
	10+ times	1	.2	.2	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Gotten into trouble at work or school because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	410	73.6	98.6	98.6
	Once	3	.5	.7	99.3
	Twice	2	.4	.5	99.8
	3-5 times	1	.2	.2	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

Consequences of alcohol use in the past year: Been hurt or injured because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	378	67.9	90.4	90.4
	Once	25	4.5	6.0	96.4
	Twice	9	1.6	2.2	98.6
	3-5 times	3	.5	.7	99.3
	6-9 times	2	.4	.5	99.8
	10+ times	1	.2	.2	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Been ticketed or arrested because of drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	413	74.1	99.0	99.0
	Once	3	.5	.7	99.8
	Twice	1	.2	.2	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Consequences of alcohol use in the past year: Been arrested for drunk driving

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	414	74.3	99.5	99.5
	Once	2	.4	.5	100.0
	Total	416	74.7	100.0	
Missing	System	141	25.3		
Total		557	100.0		

Consequences of alcohol use in the past year: Driven a car while under the influence

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	366	65.7	87.6	87.6
	Once	25	4.5	6.0	93.5
	Twice	8	1.4	1.9	95.5
	3-5 times	12	2.2	2.9	98.3
	6-9 times	4	.7	1.0	99.3
	10+ times	3	.5	.7	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Gotten into physical fights when drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	399	71.6	95.5	95.5
	Once	13	2.3	3.1	98.6
	Twice	3	.5	.7	99.3
	3-5 times	3	.5	.7	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Engaged in unprotected sex

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	343	61.6	82.1	82.1
	Once	25	4.5	6.0	88.0
	Twice	13	2.3	3.1	91.1
	3-5 times	23	4.1	5.5	96.7
	6-9 times	5	.9	1.2	97.8
	10+ times	9	1.6	2.2	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Missed class or assignments

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	360	64.6	86.3	86.3
	Once	29	5.2	7.0	93.3
	Twice	21	3.8	5.0	98.3
	3-5 times	4	.7	1.0	99.3
	6-9 times	3	.5	.7	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Consequences of alcohol use in the past year: Blacked out

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	318	57.1	75.9	75.9
	Once	44	7.9	10.5	86.4
	Twice	20	3.6	4.8	91.2
	3-5 times	24	4.3	5.7	96.9
	6-9 times	10	1.8	2.4	99.3
	10+ times	3	.5	.7	100.0
	Total	419	75.2	100.0	
Missing	System	138	24.8		
Total		557	100.0		

Consequences of alcohol use in the past year: Did something I later regretted

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	319	57.3	76.1	76.1
	Once	46	8.3	11.0	87.1
	Twice	28	5.0	6.7	93.8
	3-5 times	18	3.2	4.3	98.1
	6-9 times	5	.9	1.2	99.3
	10+ times	3	.5	.7	100.0
	Total	419	75.2	100.0	
Missing	System	138	24.8		
Total		557	100.0		

Consequences of alcohol use in the past year: Been in trouble with police, etc

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	412	74.0	98.6	98.6
	Once	5	.9	1.2	99.8
	Twice	1	.2	.2	100.0
	Total	418	75.0	100.0	
Missing	System	139	25.0		
Total		557	100.0		

Consequences of alcohol use in the past year: Experienced unwanted sexual activity

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	389	69.8	93.3	93.3
	Once	20	3.6	4.8	98.1
	Twice	5	.9	1.2	99.3
	3-5 times	3	.5	.7	100.0
	Total	417	74.9	100.0	
Missing	System	140	25.1		
Total		557	100.0		

Consequences of alcohol use in the past year: Took advantage of someone sexually

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	414	74.3	99.8	99.8
	Once	1	.2	.2	100.0
	Total	415	74.5	100.0	
Missing	System	142	25.5		
Total		557	100.0		

How often did you drink beer in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	127	22.8	30.8	30.8
	Rarely	91	16.3	22.1	52.9
	Sometimes	80	14.4	19.4	72.3
	Often	73	13.1	17.7	90.0
	Always	41	7.4	10.0	100.0
	Total	412	74.0	100.0	
Missing	System	145	26.0		
Total		557	100.0		

How often did you drink malt beverages in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	159	28.5	38.7	38.7
	Rarely	105	18.9	25.5	64.2
	Sometimes	89	16.0	21.7	85.9
	Often	49	8.8	11.9	97.8
	Always	9	1.6	2.2	100.0
	Total	411	73.8	100.0	
Missing	System	146	26.2		
Total		557	100.0		

How often did you drink wine in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	102	18.3	24.8	24.8
	Rarely	114	20.5	27.7	52.4
	Sometimes	96	17.2	23.3	75.7
	Often	81	14.5	19.7	95.4
	Always	19	3.4	4.6	100.0
	Total	412	74.0	100.0	
Missing	System	145	26.0		
Total		557	100.0		

How often did you drink liquor in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	70	12.6	17.0	17.0
	Rarely	83	14.9	20.1	37.1
	Sometimes	120	21.5	29.1	66.3
	Often	98	17.6	23.8	90.0
	Always	41	7.4	10.0	100.0
	Total	412	74.0	100.0	
Missing	System	145	26.0		
Total		557	100.0		

How often did you drink high alcohol drinks in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	279	50.1	67.2	67.2
	Rarely	83	14.9	20.0	87.2
	Sometimes	31	5.6	7.5	94.7
	Often	18	3.2	4.3	99.0
	Always	4	.7	1.0	100.0
	Total	415	74.5	100.0	
Missing	System	142	25.5		
Total		557	100.0		

How often did you drink some other type of alcohol in the past year?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	290	52.1	74.2	74.2
	Rarely	58	10.4	14.8	89.0
	Sometimes	35	6.3	9.0	98.0
	Often	6	1.1	1.5	99.5
	Always	2	.4	.5	100.0
	Total	391	70.2	100.0	
Missing	System	166	29.8		
Total		557	100.0		

How often do you drink micro-brewed beer?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	107	19.2	37.9	37.9
	Rarely	73	13.1	25.9	63.8
	Sometimes	67	12.0	23.8	87.6
	Often	25	4.5	8.9	96.5
	Always	10	1.8	3.5	100.0
	Total	282	50.6	100.0	
Missing	System	275	49.4		
Total		557	100.0		

How often do you drink micro-distilled liquor?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	171	30.7	50.4	50.4
	Rarely	91	16.3	26.8	77.3
	Sometimes	63	11.3	18.6	95.9
	Often	13	2.3	3.8	99.7
	Always	1	.2	.3	100.0
	Total	339	60.9	100.0	
Missing	System	218	39.1		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol from friends over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	43	7.7	22.4	22.4
	Rarely	34	6.1	17.7	40.1
	Sometimes	36	6.5	18.8	58.9
	Often	31	5.6	16.1	75.0
	Always	48	8.6	25.0	100.0
	Total	192	34.5	100.0	
Missing	System	365	65.5		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol from siblings over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	137	24.6	71.4	71.4
	Rarely	21	3.8	10.9	82.3
	Sometimes	20	3.6	10.4	92.7
	Often	7	1.3	3.6	96.4
	Always	7	1.3	3.6	100.0
	Total	192	34.5	100.0	
Missing	System	365	65.5		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol from other adults over 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	123	22.1	64.4	64.4
	Rarely	24	4.3	12.6	77.0
	Sometimes	24	4.3	12.6	89.5
	Often	12	2.2	6.3	95.8
	Always	8	1.4	4.2	100.0
	Total	191	34.3	100.0	
Missing	System	366	65.7		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol at on-campus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	156	28.0	83.0	83.0
	Rarely	9	1.6	4.8	87.8
	Sometimes	11	2.0	5.9	93.6
	Often	10	1.8	5.3	98.9
	Always	2	.4	1.1	100.0
	Total	188	33.8	100.0	
Missing	System	369	66.2		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol at fraternity or sorority houses

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	148	26.6	77.5	77.5
	Rarely	15	2.7	7.9	85.3
	Sometimes	17	3.1	8.9	94.2
	Often	9	1.6	4.7	99.0
	Always	2	.4	1.0	100.0
	Total	191	34.3	100.0	
Missing	System	366	65.7		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol at off-campus parties

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	93	16.7	48.9	48.9
	Rarely	22	3.9	11.6	60.5
	Sometimes	41	7.4	21.6	82.1
	Often	22	3.9	11.6	93.7
	Always	12	2.2	6.3	100.0
	Total	190	34.1	100.0	
Missing	System	367	65.9		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol from someone under 21

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	125	22.4	65.4	65.4
	Rarely	20	3.6	10.5	75.9
	Sometimes	26	4.7	13.6	89.5
	Often	16	2.9	8.4	97.9
	Always	4	.7	2.1	100.0
	Total	191	34.3	100.0	
Missing	System	366	65.7		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol from parents

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	129	23.2	67.5	67.5
	Rarely	31	5.6	16.2	83.8
	Sometimes	21	3.8	11.0	94.8
	Often	7	1.3	3.7	98.4
	Always	3	.5	1.6	100.0
	Total	191	34.3	100.0	
Missing	System	366	65.7		
Total		557	100.0		

Students under 21: In the past year, how often have you obtained alcohol some other way

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	154	27.6	83.7	83.7
	Rarely	16	2.9	8.7	92.4
	Sometimes	4	.7	2.2	94.6
	Often	7	1.3	3.8	98.4
	Always	3	.5	1.6	100.0
	Total	184	33.0	100.0	
Missing	System	373	67.0		
Total		557	100.0		

Students under 21: Purchased alcohol from retailer in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	15	2.7	7.8	7.8
	No	178	32.0	92.2	100.0
	Total	193	34.6	100.0	
Missing	System	364	65.4		
Total		557	100.0		

Students under 21: Used fake ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	7	1.3	46.7	46.7
	No	8	1.4	53.3	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Used someone elses ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	5	.9	33.3	33.3
	No	10	1.8	66.7	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Bought without using ID in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	11	2.0	68.8	68.8
	No	5	.9	31.3	100.0
	Total	16	2.9	100.0	
Missing	System	541	97.1		
Total		557	100.0		

Students under 21: Purchased alcohol at bar

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	3	.5	20.0	20.0
	1-2 times per year	5	.9	33.3	53.3
	3-5 times	4	.7	26.7	80.0
	11 or more times	3	.5	20.0	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at restaurant

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	5	.9	33.3	33.3
	1-2 times per year	7	1.3	46.7	80.0
	3-5 times	1	.2	6.7	86.7
	11 or more times	2	.4	13.3	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at grocery store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	13	2.3	86.7	86.7
	3-5 times	2	.4	13.3	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at discount store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	11	2.0	73.3	73.3
	1-2 times per year	3	.5	20.0	93.3
	3-5 times	1	.2	6.7	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at convenience store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	13	2.3	86.7	86.7
	3-5 times	1	.2	6.7	93.3
	6-10 times	1	.2	6.7	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at drug store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	15	2.7	100.0	100.0
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at liquor store

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	11	2.0	73.3	73.3
	1-2 times per year	1	.2	6.7	80.0
	6-10 times	1	.2	6.7	86.7
	11 or more times	2	.4	13.3	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at winery or micro-brewery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	14	2.5	93.3	93.3
	1-2 times per year	1	.2	6.7	100.0
	Total	15	2.7	100.0	
Missing	System	542	97.3		
Total		557	100.0		

Students under 21: Purchased alcohol at other

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	15	2.7	100.0	100.0
Missing	System	542	97.3		
Total		557	100.0		

Any age: Purchased alcohol online or via phone/mail

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	No	1	.2	.5	.5
	Yes	193	34.6	99.5	100.0
	Total	194	34.8	100.0	
Missing	System	363	65.2		
Total		557	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus housing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	56	10.1	21.0	21.0
	Somewhat Likely	102	18.3	38.2	59.2
	Somewhat Unlikely	39	7.0	14.6	73.8
	Very Unlikely	25	4.5	9.4	83.1
	Don't Know	45	8.1	16.9	100.0
	Total	267	47.9	100.0	
Missing	System	290	52.1		
Total		557	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus housing

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	25	4.5	9.4	9.4
	Somewhat Likely	38	6.8	14.3	23.8
	Somewhat Unlikely	60	10.8	22.6	46.4
	Very Unlikely	101	18.1	38.1	84.5
	Don't Know	41	7.4	15.5	100.0
	Total	265	47.6	100.0	
Missing	System	292	52.4		
Total		557	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at on-campus party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	71	12.7	26.7	26.7
	Somewhat Likely	104	18.7	39.1	65.8
	Somewhat Unlikely	23	4.1	8.6	74.4
	Very Unlikely	21	3.8	7.9	82.3
	Don't Know	47	8.4	17.7	100.0
	Total	266	47.8	100.0	
Missing	System	291	52.2		
Total		557	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at off-campus party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	28	5.0	10.6	10.6
	Somewhat Likely	59	10.6	22.3	32.8
	Somewhat Unlikely	68	12.2	25.7	58.5
	Very Unlikely	75	13.5	28.3	86.8
	Don't Know	35	6.3	13.2	100.0
	Total	265	47.6	100.0	
Missing	System	292	52.4		
Total		557	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at athletic event

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	63	11.3	23.8	23.8
	Somewhat Likely	83	14.9	31.3	55.1
	Somewhat Unlikely	43	7.7	16.2	71.3
	Very Unlikely	25	4.5	9.4	80.8
	Don't Know	51	9.2	19.2	100.0
	Total	265	47.6	100.0	
Missing	System	292	52.4		
Total		557	100.0		

Likelihood of a student under 21 years of age being ticketed or arrested when drinking at other places

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Very Likely	53	9.5	19.9	19.9
	Somewhat Likely	79	14.2	29.7	49.6
	Somewhat Unlikely	45	8.1	16.9	66.5
	Very Unlikely	32	5.7	12.0	78.6
	Don't Know	57	10.2	21.4	100.0
	Total	266	47.8	100.0	
Missing	System	291	52.2		
Total		557	100.0		

Perceived number of alcoholic drinks consumed by the typical student at the last party

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	19	3.4	3.6	3.6
	1	17	3.1	3.2	6.9
	2	59	10.6	11.2	18.1
	3	112	20.1	21.3	39.4
	4	107	19.2	20.4	59.8
	5	101	18.1	19.2	79.0
	6	49	8.8	9.3	88.4
	7	16	2.9	3.0	91.4
	8	21	3.8	4.0	95.4
	9	6	1.1	1.1	96.6
	10	12	2.2	2.3	98.9
	11	1	.2	.2	99.0
	12	3	.5	.6	99.6
	13	1	.2	.2	99.8
	15 or more drinks	1	.2	.2	100.0
Total		525	94.3	100.0	
Missing	System	32	5.7		
Total		557	100.0		

**Perceived percent of students at your school who used
alcohol in past month**

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0%	9	1.6	1.7	1.7
	5%	4	.7	.8	2.5
	10%	13	2.3	2.5	4.9
	15%	8	1.4	1.5	6.5
	20%	18	3.2	3.4	9.9
	25%	19	3.4	3.6	13.5
	30%	30	5.4	5.7	19.2
	35%	28	5.0	5.3	24.5
	40%	39	7.0	7.4	31.9
	45%	34	6.1	6.5	38.4
	50%	50	9.0	9.5	47.9
	55%	19	3.4	3.6	51.5
	60%	48	8.6	9.1	60.6
	65%	35	6.3	6.7	67.3
	70%	45	8.1	8.6	75.9
	75%	48	8.6	9.1	85.0
	80%	31	5.6	5.9	90.9
	85%	23	4.1	4.4	95.2
	90%	16	2.9	3.0	98.3
	95%	8	1.4	1.5	99.8
100%	1	.2	.2	100.0	
	Total	526	94.4	100.0	
Missing	System	31	5.6		
Total		557	100.0		

Had your belongings or property damaged in the past year because of other students drinking

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	470	84.4	88.7	88.7
	Once	37	6.6	7.0	95.7
	2-3 times	16	2.9	3.0	98.7
	4 or more times	7	1.3	1.3	100.0
	Total	530	95.2	100.0	
Missing	System	27	4.8		
Total		557	100.0		

Had to take care of another student who drank too much in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	315	56.6	59.4	59.4
	Once	100	18.0	18.9	78.3
	2-3 times	78	14.0	14.7	93.0
	4 or more times	37	6.6	7.0	100.0
	Total	530	95.2	100.0	
Missing	System	27	4.8		
Total		557	100.0		

Found vomit in the halls or other areas of your residence in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	455	81.7	85.8	85.8
	Once	48	8.6	9.1	94.9
	2-3 times	21	3.8	4.0	98.9
	4 or more times	6	1.1	1.1	100.0
	Total	530	95.2	100.0	
Missing	System	27	4.8		
Total		557	100.0		

Had your studying or sleep interrupted because of other students drinking in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	397	71.3	75.2	75.2
	Once	50	9.0	9.5	84.7
	2-3 times	54	9.7	10.2	94.9
	4 or more times	27	4.8	5.1	100.0
	Total	528	94.8	100.0	
Missing	System	29	5.2		
Total		557	100.0		

Had to act as a designated driver for another student in the past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Not at all	361	64.8	68.6	68.6
	Once	72	12.9	13.7	82.3
	2-3 times	69	12.4	13.1	95.4
	4 or more times	24	4.3	4.6	100.0
	Total	526	94.4	100.0	
Missing	System	31	5.6		
Total		557	100.0		

How do you think your close friends feel about you having five or more alcoholic drinks in one sitting?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	152	27.3	28.7	28.7
	Somewhat disapprove	91	16.3	17.2	45.9
	Neither approve or disapprove	189	33.9	35.7	81.7
	Somewhat approve	47	8.4	8.9	90.5
	Strongly approve	50	9.0	9.5	100.0
	Total	529	95.0	100.0	
Missing	System	28	5.0		
Total		557	100.0		

How do you think your close friends feel about you using prescription medication not prescribed to you?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	360	64.6	68.1	68.1
	Somewhat disapprove	94	16.9	17.8	85.8
	Neither approve or disapprove	58	10.4	11.0	96.8
	Somewhat approve	12	2.2	2.3	99.1
	Strongly approve	5	.9	.9	100.0
	Total	529	95.0	100.0	
Missing	System	28	5.0		
Total		557	100.0		

How do you think your close friends feel about you using marijuana?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Strongly disapprove	185	33.2	35.1	35.1
	Somewhat disapprove	89	16.0	16.9	52.0
	Neither approve or disapprove	158	28.4	30.0	82.0
	Somewhat approve	41	7.4	7.8	89.8
	Strongly approve	54	9.7	10.2	100.0
	Total	527	94.6	100.0	
Missing	System	30	5.4		
Total		557	100.0		

Number of days in past month that mental health was not good

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	144	25.9	27.9	27.9
	1	21	3.8	4.1	31.9
	2	39	7.0	7.5	39.5
	3	52	9.3	10.1	49.5
	4	26	4.7	5.0	54.5
	5	43	7.7	8.3	62.9
	6	12	2.2	2.3	65.2
	7	24	4.3	4.6	69.8
	8	9	1.6	1.7	71.6
	9	5	.9	1.0	72.5
	10	31	5.6	6.0	78.5
	11	2	.4	.4	78.9
	12	7	1.3	1.4	80.3
	13	4	.7	.8	81.0
	14	2	.4	.4	81.4
	15	20	3.6	3.9	85.3
	16	2	.4	.4	85.7
	17	1	.2	.2	85.9
	18	2	.4	.4	86.3
	19	1	.2	.2	86.5
	20	16	2.9	3.1	89.6
	21	1	.2	.2	89.7
	22	2	.4	.4	90.1
	23	1	.2	.2	90.3
	24	1	.2	.2	90.5
	25	5	.9	1.0	91.5
	26	1	.2	.2	91.7
	27	2	.4	.4	92.1
	28	3	.5	.6	92.6
	29	1	.2	.2	92.8
	30	30	5.4	5.8	98.6
Don't know, not sure	7	1.3	1.4	100.0	
Total		517	92.8	100.0	

Number of days in past month that mental health was not good

		Frequency	Percent	Valid Percent	Cumulative Percent
Missing	System	40	7.2		
Total		557	100.0		

Felt sad or hopeless in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	123	22.1	23.7	23.7
	No	395	70.9	76.3	100.0
	Total	518	93.0	100.0	
Missing	System	39	7.0		
Total		557	100.0		

Seriously considered attempting suicide in past year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	50	9.0	9.6	9.6
	No	469	84.2	90.4	100.0
	Total	519	93.2	100.0	
Missing	System	38	6.8		
Total		557	100.0		

Gambling in past year: Card games

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	476	85.5	91.5	91.5
	Less than once a month	36	6.5	6.9	98.5
	1-3 times per month	8	1.4	1.5	100.0
	Total	520	93.4	100.0	
Missing	System	37	6.6		
Total		557	100.0		

Gambling in past year: Games of skill

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	477	85.6	91.7	91.7
	Less than once a month	28	5.0	5.4	97.1
	1-3 times per month	10	1.8	1.9	99.0
	Once a week or more	5	.9	1.0	100.0
	Total	520	93.4	100.0	
Missing	System	37	6.6		
Total		557	100.0		

Gambling in past year: Sports/Fantasy leagues

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	488	87.6	93.8	93.8
	Less than once a month	17	3.1	3.3	97.1
	1-3 times per month	9	1.6	1.7	98.8
	Once a week or more	6	1.1	1.2	100.0
	Total	520	93.4	100.0	
Missing	System	37	6.6		
Total		557	100.0		

Gambling in past year: Lottery

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	372	66.8	71.5	71.5
	Less than once a month	128	23.0	24.6	96.2
	1-3 times per month	18	3.2	3.5	99.6
	Once a week or more	2	.4	.4	100.0
	Total	520	93.4	100.0	
Missing	System	37	6.6		
Total		557	100.0		

Gambling in past year: Bingo

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	500	89.8	96.3	96.3
	Less than once a month	18	3.2	3.5	99.8
	1-3 times per month	1	.2	.2	100.0
	Total	519	93.2	100.0	
Missing	System	38	6.8		
Total		557	100.0		

Gambling in past year: Gambled on-line

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	515	92.5	98.8	98.8
	Less than once a month	5	.9	1.0	99.8
	Once a week or more	1	.2	.2	100.0
	Total	521	93.5	100.0	
Missing	System	36	6.5		
Total		557	100.0		

Gambling in past year: Personal challenges

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	468	84.0	90.2	90.2
	Less than once a month	44	7.9	8.5	98.7
	1-3 times per month	6	1.1	1.2	99.8
	Once a week or more	1	.2	.2	100.0
	Total	519	93.2	100.0	
Missing	System	38	6.8		
Total		557	100.0		

Gambling in past year: Gambled at a casino

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	472	84.7	91.3	91.3
	Less than once a month	40	7.2	7.7	99.0
	1-3 times per month	5	.9	1.0	100.0
	Total	517	92.8	100.0	
Missing	System	40	7.2		
Total		557	100.0		

Gambling in past year: Gambled at informal locations

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	516	92.6	99.4	99.4
	Less than once a month	3	.5	.6	100.0
	Total	519	93.2	100.0	
Missing	System	38	6.8		
Total		557	100.0		

Gambling in past year: Other ways

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	500	89.8	96.0	96.0
	Less than once a month	16	2.9	3.1	99.0
	1-3 times per month	3	.5	.6	99.6
	Once a week or more	2	.4	.4	100.0
	Total	521	93.5	100.0	
Missing	System	36	6.5		
Total		557	100.0		

Location where you gambled most frequently in past year (besides online or lottery)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	I only gambled online or playing the lottery	82	14.7	40.8	40.8
	Apartment/House	38	6.8	18.9	59.7
	Residence hall	3	.5	1.5	61.2
	Other campus housing	1	.2	.5	61.7
	Casino	32	5.7	15.9	77.6
	Other	45	8.1	22.4	100.0
	Total	201	36.1	100.0	
Missing	System	356	63.9		
Total		557	100.0		

Consequences of gambling: Academic problems

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	216	38.8	98.2	98.2
	Occasionally	3	.5	1.4	99.5
	Frequently	1	.2	.5	100.0
	Total	220	39.5	100.0	
Missing	System	337	60.5		
Total		557	100.0		

Consequences of gambling: Issues with legal system

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	218	39.1	99.5	99.5
	Occasionally	1	.2	.5	100.0
	Total	219	39.3	100.0	
Missing	System	338	60.7		
Total		557	100.0		

Consequences of gambling: Lost possessions or money

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	184	33.0	83.6	83.6
	Occasionally	35	6.3	15.9	99.5
	Frequently	1	.2	.5	100.0
	Total	220	39.5	100.0	
Missing	System	337	60.5		
Total		557	100.0		

Consequences of gambling: Felt bad about gambling

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	208	37.3	94.5	94.5
	Occasionally	8	1.4	3.6	98.2
	Frequently	4	.7	1.8	100.0
	Total	220	39.5	100.0	
Missing	System	337	60.5		
Total		557	100.0		

Consequences of gambling: Poor health

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	217	39.0	98.6	98.6
	Occasionally	3	.5	1.4	100.0
	Total	220	39.5	100.0	
Missing	System	337	60.5		
Total		557	100.0		

Consequences of gambling: Issues with friends and family

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	215	38.6	97.7	97.7
	Occasionally	4	.7	1.8	99.5
	Frequently	1	.2	.5	100.0
	Total	220	39.5	100.0	
Missing	System	337	60.5		
Total		557	100.0		

Year

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2016	557	100.0	100.0	100.0

Over your next 10 opportunities to drink, on how many occasions do you intend/plan to drink 5 or more alcoholic beverages?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	0	278	49.9	54.0	54.0
	1	48	8.6	9.3	63.3
	2	52	9.3	10.1	73.4
	3	36	6.5	7.0	80.4
	4	21	3.8	4.1	84.5
	5	29	5.2	5.6	90.1
	6	11	2.0	2.1	92.2
	7	11	2.0	2.1	94.4
	8	10	1.8	1.9	96.3
	9	3	.5	.6	96.9
	10	16	2.9	3.1	100.0
	Total		515	92.5	100.0
Missing	System	42	7.5		
Total		557	100.0		

Do you identify as a person in recovery from addiction to drugs or alcohol?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	14	2.5	2.7	2.7
	No	484	86.9	94.5	97.3
	Not sure	14	2.5	2.7	100.0
	Total	512	91.9	100.0	
Missing	System	45	8.1		
Total		557	100.0		

In the past 12 months, how often have you sent someone sexual or explicit materials over email or text?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	358	64.3	69.5	69.5
	Once	20	3.6	3.9	73.4
	Twice	23	4.1	4.5	77.9
	3-5 times	50	9.0	9.7	87.6
	6-9 times	16	2.9	3.1	90.7
	10+ times	48	8.6	9.3	100.0
	Total	515	92.5	100.0	
Missing	System	42	7.5		
Total		557	100.0		

In the past 12 months, how often have you taken photos or videos of someone while they were undressing, were nude, or were having sex, without their consent?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	501	89.9	97.9	97.9
	Once	2	.4	.4	98.2
	Twice	3	.5	.6	98.8
	3-5 times	5	.9	1.0	99.8
	6-9 times	1	.2	.2	100.0
	Total	512	91.9	100.0	
Missing	System	45	8.1		
Total		557	100.0		

In the past 12 months, how often have you pressured someone into having sex with you, when they did not want to?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	503	90.3	98.4	98.4
	Once	5	.9	1.0	99.4
	10+ times	3	.5	.6	100.0
	Total	511	91.7	100.0	
Missing	System	46	8.3		
Total		557	100.0		

In the past 12 months, how often have you encouraged or pressured someone into drinking alcohol or doing other drugs in order to have sex with them?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Never	502	90.1	98.0	98.0
	Once	7	1.3	1.4	99.4
	Twice	1	.2	.2	99.6
	3-5 times	2	.4	.4	100.0
	Total	512	91.9	100.0	
Missing	System	45	8.1		
Total		557	100.0		

What health insurance do you have?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Aetna	26	4.7	5.1	5.1
	Anthem/Blue Cross/Blue Shield	252	45.2	49.2	54.3
	Cigna	21	3.8	4.1	58.4
	Humana	3	.5	.6	59.0
	Sagamore	2	.4	.4	59.4
	UnitedHealthcare	39	7.0	7.6	67.0
	Other	71	12.7	13.9	80.9
	I have health insurance, but do not know which company	78	14.0	15.2	96.1
	I do not have health insurance	20	3.6	3.9	100.0
	Total	512	91.9	100.0	
Missing	System	45	8.1		
Total		557	100.0		

Do you feel as though you have a good understanding of health insurance/health care costs?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Yes	265	47.6	51.9	51.9
	No	246	44.2	48.1	100.0
	Total	511	91.7	100.0	
Missing	System	46	8.3		
Total		557	100.0		

Where is your permanent residence?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Indianapolis/Marion County	225	40.4	43.7	43.7
	Surrounding counties	129	23.2	25.0	68.7
	Other county in Indiana	131	23.5	25.4	94.2
	Other state	17	3.1	3.3	97.5
	Other country	13	2.3	2.5	100.0
	Total	515	92.5	100.0	
Missing	System	42	7.5		
Total		557	100.0		

If you have a family doctor (not a pediatrician) or primary care provider (PCP), where is s/he located?

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	Indianapolis/Marion County	141	25.3	27.5	27.5
	Surrounding counties	125	22.4	24.4	51.9
	Other county in Indiana	128	23.0	25.0	76.8
	Other state	16	2.9	3.1	79.9
	Other country	14	2.5	2.7	82.7
	I do not have a family doctor or PCP	89	16.0	17.3	100.0
	Total	513	92.1	100.0	
Missing	System	44	7.9		
Total		557	100.0		